

Mirka Canada

# 2022 PRODUCT CATALOG



## The Pioneers of Dust-Free Solutions

For more than two decades, Mirka has been at the forefront of dust-free sanding. Our patented Net structure means that no dust particle is ever more than 0.5 mm from a dust extraction hole, so it is always possible to see exactly what is happening at the sanding surface.

## About Mirka Canada

Welcome to Mirka! We are making a continuous effort to bring you the best abrasives, tools, dust-free sanding systems, and accessories. This way, when partnering with Mirka, you can evolve your work and your business.

The following pages will show our broad range of products, from the new and innovative to the tried and true.

At Mirka, when we say we are Dedicated to the finish, we mean the results achieved by our customers. This dedication over the years has made us a world leader in sanding solutions for surface finishing and precision industries. We deliver one of the most diverse portfolios in the industry and help tackle projects from the ordinary to the extraordinary, and anything in between!

*Our customers have the advantage of:*

- Exceptional Support through our passionate and knowledgeable team members
- Pioneering Innovations that deliver next-generation products and processes
- Unwavering Dedication that enables a remarkable finish and inspires technicians, shop owners, creators, woodworkers and DIYers to perform better

## Table of Contents:

Abranet® .....	4	Caratflex .....	16	Polarshine® .....	33
Abranet® Ace .....	4	Basecut .....	16	Polishing Pads.....	34
Abranet® Ace HD .....	4	Waterproof .....	17	DEROS + DEOS + DELTA.....	37
Autonet® .....	4	Coarse Cut.....	17	LEROS.....	38
Abralon® .....	6	Jepuflex Antistatic.....	18	PROS CV / SGV / NV.....	39
Abralon® J3.....	6	Hiolit® XO / JF.....	18	Pneumatic Belt Sanders.....	40
Iridium .....	7	Mirlon Total® .....	19	MR-Series Pneumatic Tools.....	41
Iridium SR.....	7	Mirlon® .....	19	Two-Handed Tools.....	43
Q.Silver® .....	8	Abrasive Sponges.....	20	Cordless Tools .....	45
Q.Silver® ACE.....	8	Golden Finish .....	22	Essentials .....	47
Polarstar® .....	9	OSP .....	23	Dust Extractor .....	51
Polarstar® SR.....	9	Abranet® Max Belts.....	25	Dust Extractor Accessories.....	52
Microstar® .....	10	Ultimax Belts.....	25	Hand Sanding Tools .....	54
Novastar® .....	11	Sica Belts .....	26	Backup Pads.....	55
Novastar® SR.....	11	Sica Fine Stearate Belts .....	26	Interface Pads .....	58
Gold.....	12	Jepuflex Antistatic Belts .....	27	Protector Pads.....	58
Goldflex Soft.....	12	Hiolit® F Belts.....	27	Miscellaneous Accessories .....	59
Gold Soft .....	12	Hiolit® XO Belts.....	28	Notes .....	60
Gold ProFlex.....	14	Mini File Belts .....	29	Grit Comparison Chart.....	61
Gold Film.....	14	Surface Conditioning Belts.....	29		
Galaxy .....	15	Grinding Discs .....	30		

## New Products

### ABRASIVES



#### Iridium SR

##### Premium Spot Repair

For unparalleled performance in spot repair work and finishing quality control

PAGE 7



#### Gold + Gold Film

##### Multifit

Universal hole patterns to fit any dust-free tool and backing pad

PAGE 15



#### Mirka® Galaxy

##### Multifit

Self-Sharpening grain technology that's out of this world!

PAGE 16

### MIRKA ESSENTIALS



#### Essentials Line

Mirka Essentials consists of accessories and supplies considered essential in paint refinishing, collision repair, polishing and other surface finishing work.

PAGE 47



### TOOLS



#### 343XCV DEOS

Small enough to work in tight spaces. Lightweight and ergonomic, bringing power to places where hand sanding may have been required in the past.

PAGE 37



#### LEROS-S

Compact length, brushless sander with a highly flexible sanding head, designed for effortless sanding of large wood and composite surfaces in manufacturing.

PAGE 38



#### Pneumatic Belt Sanders

Get the job done with Mirka's new ergonomically designed Pneumatic Belt Sanders. Low vibration sanders for narrow belt grinding. Available in two convenient sizes.

PAGE 40

## Safety Warnings:

**WARNING**







These symbols are found on all Mirka SOPs, as well as the product packaging for Mirka abrasives. Specific requirements for personal protective equipment (PPE) are presented in many different OSHA standards, published in 29 CFR.



Wear appropriate eye and face protection and ensure that the selected form of protection is appropriate to the work being performed and properly fits each worker exposed to the hazard.



Use gloves specifically designed for the hazards and tasks found in the workplace. The nature of the hazard and the operation involved will affect the selection of gloves.



If engineering and work practice controls do not lower employee exposure to workplace noise to acceptable levels, employees must wear appropriate hearing protection.



Selecting the right respirator requires an assessment of all the workplace operations, processes or environments that may create a respiratory hazard.



Read and follow all instructions contained in Technical Data Sheets and User Manuals.

*The User is responsible for determining whether the Mirka product is fit for a particular purpose and suitable for the User's application.*

*The User is also responsible for complying with any applicable safety and health-related regulations and for taking safety and health-related precautions when using Mirka products. This includes, but is not limited to: wearing safety glasses, face masks, gloves, and protective clothing, if necessary, following instructions and warning labels, and operating Mirka products safely including at safe operating speeds.*

*By User's purchase or use of Mirka products, User acknowledges, represents, and warrants that User will: (a) comply with the foregoing, (b) assume all risks in connection with the use of Mirka products, and (c) read and understand the Mirka Warranty Policy.*

## Symbols:

### Industry:



Auto



AOEM



Wood



Construction/  
Decoration



Marine



Composite



Glass

### Types of Abrasives:



Discs



Multifit Discs



Multihole  
Discs



Vacuum Discs



SR Discs



Net Discs



Delta



Rolls



Net Rolls



Multihole  
File Sheets



File Sheets



Net File  
Sheets



Pads



Net Pads



Sheets



Narrow Belts



Wide Belts



Portable Belts



Pump Sleeves



Mini Belts

## Product Number Reference Guide:

**Product numbers are by series, configuration and grit. The last digits of the product number are the GRIT (XXX).**

- EX.** 9A-203-XXX = 9A-203-800 represents Abranet®, 3" disc, P80  
 23-5MF-XXX = 23-5MF-320 represents Gold, 5" Multifit vacuum disc, P320  
 FM-611-XXX = FM-611-2500 represents Microstar®, 6" vacuum disc, P2500

**For part numbers without dashes - the last two digits XX are the GRITS EX. Polarstar, FA622050XX**

- 80 = P80, 10 = P100, 12 = P120, 15 = P150, 18 = P180, 25 = P240, 32 = P320, 41 = P400, 51 = P500, 61 = P600,  
 81 = P800, 92 = P1000, 93 = P1200, 94 = P1500, 95 = 2000, 96 = 2500

A close-up photograph of a person's hand holding a yellow and black power tool. The tool is equipped with a red abrasive disc. The background is blurred, showing what appears to be a workshop or industrial setting. A semi-transparent white banner is overlaid across the middle of the image, containing the Mirka logo and the word 'ABRASIVES'.

**MIRKA**

A B R A S I V E S

## Abranet® Net Abrasive

### 9A Series



#### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyamide NET
<b>Coating</b>	Closed
<b>Color</b>	Brown
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- High performance and long lifespan
- Removal of dust particles eliminates loading and pilling problems
- Woven mesh backing works with hook and loop attachment
- Net abrasives are a key component for dust-free sanding

## Abranet® Ace Net Abrasive

### AC Series



#### Technical Specifications


<b>Grain</b>	Ceramic/Ceramic coated
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyamide NET
<b>Coating</b>	Closed
<b>Color</b>	Maroon
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Developed to achieve outstanding results on challenging surface conditioning and repair applications
- Well designed for metal applications
- Removal of dust particles eliminates loading and pilling problems
- Improved woven mesh backing offers increased strength and edge wear
- Net abrasives are a key component for dust-free sanding

## Abranet® Ace HD Net Abrasive

### AH Series



#### Technical Specifications

<b>Grain</b>	Ceramic
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyamide NET
<b>Coating</b>	Closed
<b>Color</b>	Brown
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Ceramic grains allow for maximum cutting speed and consistent performance across a variety of surfaces and substrates
- Coarse grit range makes this ideal for aggressive stock removal
- Features exceptional resistance to edge wear and clogging
- Net abrasives are a key component for dust-free sanding

## Autonet® Net Abrasive

### AE Series



#### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyamide NET
<b>Coating</b>	Closed
<b>Color</b>	Gray
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Excellent initial aggressivity
- Long life-span compared to paper-backed discs
- Eliminates clogging and pilling
- Developed specifically for the automotive repair industry
- Rolls have perforations every 2¾" making it simple to get the desired length
- Net abrasives are a key component for dust-free sanding

## Abranet® Net Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	320	400	500	600	800	1000	AP
 <b>9A-600-XXX</b>	1¼"	Grip	●		●	●	●		●	●	●					
 <b>9A-203-XXX</b>	3"	Grip	●	●	●	●	●	●	●	●	●		●			●
 <b>9A-232-XXX</b>	5"	Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●
 <b>9A-241-XXX</b>	6"	Grip	●	●	●	●	●	●	●	●	●		●	●	●	●
 <b>9A-252-XXX</b>	8"	Grip	●		●		●		●	●	●		●			
 <b>9A-223-XXX</b>	9"	Grip	●	●	●	●	●		●							
 <b>9A-262-XXX</b>	11"	Grip	●		●		●		●	●	●					
 <b>9A-219-XXX</b>	4" x 6" x 6"	Grip	●		●	●	●		●							
 <b>9A-570-XXX</b>	2¾" x 10 yds.	Grip	●	●	●		●		●	●	●					
 <b>9A-149-XXX</b>	2¾" x 5"	Grip	●		●	●	●	●	●	●	●		●			
 <b>9A-150-XXX</b>	2¾" x 7¾"	Grip	●		●	●	●	●	●	●	●					
 <b>9A-151-XXX</b>	2¾" x 16½"	Grip	●	●	●	●	●		●	●	●					
 <b>9A-129-XXX</b>	3" x 4"	Grip	●		●	●	●	●	●	●	●					
 <b>9A-178-XXX</b>	3" x 5"	Grip	●	●	●	●	●		●	●	●	●	●			
 <b>9A-110-XXX</b>	4½" x 10 yds.	Grip	●	●	●		●		●	●	●					
 <b>9A-125-XXX</b>	4½" x 25 yds.	Grip	●		●		●		●	●	●					

## Abranet® Ace Net Abrasive

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000
 <b>AC-129-XXX</b>	3" x 4"	Grip			●		●	●	●	●	●	●	●		●		
 <b>AC-178-XXX</b>	3" x 5"	Grip			●	●	●	●	●		●	●	●				
 <b>AC-203-XXX</b>	3"	Grip			●				●	●	●	●	●	●	●	●	●
 <b>AC-232-XXX</b>	5"	Grip			●	●	●	●	●	●	●	●	●	●	●	●	●
 <b>AC-241-XXX</b>	6"	Grip			●	●	●	●	●	●	●	●	●	●	●	●	●
 <b>AC-223-XXX</b>	9"	Grip			●	●	●	●	●	●	●	●	●	●	●	●	●

## Abranet® Ace HD Net Abrasive

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	400	500	600	800	AP
 <b>AH-232-XXX</b>	5"	Grip	●	●	●												
 <b>AH-241-XXX</b>	6"	Grip	●	●	●												
 <b>AH-252-XXX</b>	8"	Grip	●	●	●												
 <b>AH-570-XXX</b>	2¾" x 10 yds.	Grip	●	●	●												

## Autonet® Net Abrasive

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000
 <b>AE-203-XXX</b>	3"	Grip			●		●	●	●		●	●	●		●	●	
 <b>AE232050XXX</b>	5"	Grip			●		●	●	●		●	●	●	●	●	●	
 <b>AE241050XXX</b>	6"	Grip			●		●	●	●		●	●	●	●	●	●	
*  <b>AE-570-XXX</b>	2¾" x 11 yds.	Grip			●		●	●	●		●	●	●		●		

\* Perforated every 2¾"

## Abralon® Foam Abrasive

8A Series



### Technical Specifications

<b>Grain</b>	Silicon carbide
<b>Bonding</b>	Special Resin
<b>Backing</b>	Knitted fabric on foam
<b>Coating</b>	Special Abralon® method
<b>Color</b>	Gray
<b>Attachment</b>	Grip
<b>Foam Density</b>	33 kg/m <sup>2</sup>
<b>Foam Thickness</b>	6.5 mm

#### FEATURES AND BENEFITS:

- Combines benefits of abrasive cloth and non-woven products
- Constructed of fabric face, foam center and a grip backing
- Abrasive grains are bonded evenly to the fabric face

## Abralon® J3 Foam Abrasive

8M Series



### Technical Specifications

<b>Grain</b>	Silicon carbide
<b>Bonding</b>	Special Resin
<b>Backing</b>	Knitted fabric on foam
<b>Coating</b>	Special Abralon® method
<b>Color</b>	Gray
<b>Attachment</b>	Grip
<b>Foam Density</b>	62 kg/m <sup>2</sup>
<b>Foam Thickness</b>	3 mm

- Can be used for dry or wet sanding
- Open cell design holds large amounts of water or solvent for lubrication and cooling

## Abralon® Foam Abrasive

Part Number:	Size:	Description:	180	220	240	360	400	500	600	800	1000	2000	3000	4000	AP
● 8A-600-XXX	1¼"	Grip				●		●			●	●		●	
● 8A-203-XXX	3"	Grip	●			●		●			●	●	●	●	●
● 8A-232-XXX	5"	Grip	●			●		●	●		●				
● 8A-240-XXX	6" (10/pk)	Grip	●			●		●			●	●	●	●	
● 8A-241-XXX	6"	Grip	●			●		●			●	●	●	●	●
● 8A-618-XXX	12"	Grip	●			●		●				●			

## Abralon® J3 Foam Abrasive

Part Number:	Size:	Description:	180	220	240	360	400	500	600	800	1000	2000	3000	4000	AP
● 8M-203-XXX	3"	Grip												●	
● 8M-241-XXX	6"	Grip											●	●	
● 8M-223-XXX	9"	Grip				●		●			●	●		●	

### DID YOU KNOW?

Some common applications for Abralon® abrasives include:

- Pre-polishing clearcoats (1000-4000)
- Surface finishing of aluminum or stainless steel
- Finishing of solid surface counter tops
- Sanding of sealers and primers (180-500)
- Removing mold marks and flash from plastic parts
- Finishing glass surfaces



## Iridium Paper Abrasive

24 Series



### Technical Specifications

<b>Grain</b>	Ceramic / Aluminum oxide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	Latex C-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Gray
<b>Attachment</b>	Grip and PSA

#### FEATURES AND BENEFITS:

- Fast sanding and consistent scratch pattern saves you time and money
- Consistent quality and non-stick coating repels dust and provides a long disc life
- Effective multihole pattern delivers outstanding performance without clogging
- Premium paper backing offers remarkable flexibility and grain adhesion

## Iridium Paper Abrasive

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000
<b>24-125-XXX</b>	4½" x 82'	Grip Roll			●	●	●	●	●	●	●	●					
<b>24-314-XXX</b>	5"	PSA		●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-342-XXX</b>	6"	PSA		●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-35M-XXX</b>	3" x 5"	54-Hole Grip	●	●	●	●	●	●	●	●	●	●	●				
<b>24-38P-XXX</b>	2¾" x 16"	Perf Grip	●	●	●	●	●	●	●	●	●	●	●				
<b>24-3MH-XXX</b>	3"	Multi-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-570-XXX</b>	2¾" x 11 yds.	20-Hole Grip Perf Roll	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-573-XXX</b>	4½" x 10 yds.	PSA Roll	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-574-XXX</b>	2¾" x 20 yds.	PSA Roll	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-584-XXX</b>	2¾" x 40 yds.	PSA Roll	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-5MH-XXX</b>	5"	Multi-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-5NH-XXX</b>	5"	No-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-620-XXX</b>	4" x 6" x 6"	7-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-641-XXX</b>	3" x 4"	36-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●		
<b>24-6MH-XXX</b>	6"	Multi-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-6NH-XXX</b>	6"	No-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>24-8MH-XXX</b>	8"	Multi-Hole Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

## Iridium SR Film Abrasive

Part Number:	Size:	Description:	240	320	400	500	600	800	1000	1200	1500	3µ	5µ	7µ
<b>24-301-XXX</b>	1¼"	PSA rosette										●	●	●
<b>24-309-XXX</b>	1¼"	PSA											●	●
<b>24-340-XXX</b>	1¼"	PSA										●	●	●

## **NEW** Iridium SR Film Abrasive

24 Series



3 micron      5 micron      7 micron

### Technical Specifications

<b>Grain</b>	Silicon Carbide
<b>Bonding</b>	Slurry
<b>Backing</b>	Film, 3 mil
<b>Coating</b>	Closed
<b>Color</b>	Green, Gray, Purple
<b>Attachment</b>	PSA

#### FEATURES AND BENEFITS:

- Premium finishing product
- Excellent quality consistency
- Fast cut and long life
- Easy and fast to polish out
- Efficient silicon carbide grains
- Stable and robust backing

## Q.Silver®

Paper Abrasive

2B Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P80 - P150: D-paper P180 - P500: C-paper P600 - P1500: B-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Blue
<b>Attachment</b>	Grip and PSA

#### FEATURES AND BENEFITS:

- Outstanding performance in automotive, hardwood, and composites
- Flexible, strong latex paper backing

## Q.Silver® ACE

Paper Abrasive

2C Series



### Technical Specifications

<b>Grain</b>	Ceramic
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P600 - P1500: B-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Plum
<b>Attachment</b>	Grip and PSA

- Optimal aggressivity for fast, efficient stock removal
- High heat endurance for tough tasks

## Q.Silver®

Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500
● 2B-608-XXX	3"	Grip	●		●	●	●	●		●	●						
● 2B-634-XXX	3"	6-Hole Grip	●				●			●							
● 2B-612-XXX	5"	Grip	●		●	●	●	●	●	●	●	●					
● 2B-332-XXX	5"	PSA	●	●	●	●	●	●	●	●	●	●					
● 2B-614-XXX	5"	5-Hole Grip	●	●	●	●	●	●		●	●						
● 2B-647-XXX	5"	17-Hole Grip	●		●	●	●	●		●	●						
● 2B-342-XXX	6"	PSA Linkroll	●		●	●	●	●	●	●	●	●					
● 2B-343-XXX	6"	PSA						●		●							
● 2B-622-XXX	6"	Grip	●		●	●	●	●	●	●	●	●					
● 2B-611-XXX	6"	15-Hole Grip	●	●	●	●	●	●	●	●	●	●					
■ 2B-663-XXX	2¾" x 16½"	Grip	●				●	●									
● 2B-574-XXX	2¾" x 20 yds.	PSA	●														
● 2B-584-XXX	2¾" x 40 yds.	PSA			●	●	●	●		●	●						

## Q.Silver® ACE

Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500
● 2C-608-XXX	3"	Grip											●	●	●	●	●
● 2C-612-XXX	5"	Grip											●	●	●	●	●
● 2C-614-XXX	5"	Grip											●	●	●		
● 2C-647-XXX	5"	Grip												●			
● 2C-611-XXX	6"	Grip											●	●	●	●	●
● 2C-622-XXX	6"	Grip											●	●	●	●	●
● 2C-341-XXX	6"	PSA											●	●			

## Polarstar® Film Abrasive

### FA Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide (P400–P600) Silicon carbide (P800–P1500)
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyester film
<b>Coating</b>	Semi-open
<b>Color</b>	Green/White
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Outstanding performance on demanding applications such as hard tooling gelcoats and the latest scratch resistant automotive clearcoats
- Unique abrasive material resists clogging and delivers long lasting performance
- Excellent durability – retains its high performance sanding properties

## Polarstar® SR Film Abrasive

### SR Series



3 micron (eqv. to P5000)  
5 micron (eqv. to P3000)  
7 micron (eqv. to P2500)



3 micron      5 micron      7 micron

### Technical Specifications

<b>Grain</b>	Aluminum oxide - SR3, SR7 Silicon Carbide - SR5
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyester film
<b>Coating</b>	Defined mono-layer coating technology
<b>Color</b>	Pale yellow (3A), Mint green (5A), Lilac (7A)
<b>Attachment</b>	Water-resistant PSA

#### FEATURES AND BENEFITS:

- Designed for spot repair of clearcoats
- Ideal for nib sanding to remove dirt or imperfections
- Excellent durability
- Suitable for wet sanding

## Polarstar® Film Abrasive

Part Number:	Size:	Description:	240	320	400	500	600	800	1000	1200	1500	3µ	5µ	7µ
● <b>FA-608-XXX</b>	3"	Grip					●	●	●	●	●			
● <b>FA612050XX</b>	5"	Grip					●	●	●	●	●			
● <b>FA622050XX</b>	6"	Grip					●	●	●	●	●			
● <b>FA30100141</b>	1¾"	PSA			●									
● <b>FA611050XX</b>	6"	15-Hole Grip					●	●	●	●	●			

## Polarstar® SR Film Abrasive

Part Number:	Size:	Description:	240	320	400	500	600	800	1000	1200	1500	3µ	5µ	7µ
⊗ <b>SR-301-3A</b>	1¼"	PSA										●		
⊗ <b>SR-301-5A</b>	1¼"	PSA											●	
⊗ <b>SR-340-5A</b>	1¼"	PSA											●	
⊗ <b>SR-301-7A</b>	1¼"	PSA												●
⊗ <b>SR-340-7A</b>	1¼"	PSA												●



## Microstar® Film Abrasive

### FM Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	Polyester film
<b>Coating</b>	Semi-open
<b>Color</b>	White
<b>Attachment</b>	Grip

### FEATURES AND BENEFITS:

- Ideal for removal of runs, dust nibs and excess orange peel from topcoat finishes before repainting or buffing
- Resists loading for longer disc life
- Ideal for sanding fresh or soft clearcoat
- Leaves an even scratch pattern, which buffs out quickly on all types of automotive paints
- Film-backed discs have full resin bonded aluminum oxide grain


## Microstar® Film Abrasive

Part Number:	Size:	Description:	220	240	320	400	500	600	800	1000	1200	1500	2000	2500
● <b>FM-608-XXX</b>	3"	Grip							●	●	●	●	●	●
● <b>FM-612-XXX</b>	5"	Grip							●	●	●	●	●	●
● <b>FM-622-XXX</b>	6"	Grip							●	●	●	●	●	●
● <b>FM-611-XXX</b>	6"	15-Hole Grip							●	●	●	●	●	●

### DID YOU KNOW?

Microstar abrasives are effective in both wet and dry sanding. For best results when sanding clearcoat and topcoat finishes, it is best to use an interface pad to prevent cutting through on the edges.

For longer life, wipe the Microstar disc with a microfiber cloth after making a few sanding passes.



## Novastar® Film Abrasive

### FG Series



#### Technical Specifications

<b>Grain</b>	Ceramic / Aluminum oxide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	Polyester film
<b>Coating</b>	Semi-open
<b>Color</b>	Transparent
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Aggressive initial cut in coarse grits for Heavy-Duty applications
- Long lasting disc life means excellent performance using fewer discs
- Consistent scratch pattern provides the desired finish
- Effective multi-hole pattern delivers outstanding performance without clogging
- Premium film backing offers outstanding edgewear resistance, flexibility and grain adhesion

## Novastar® SR Film Abrasive

### SR Series



3 micron (eqv. to 5000)  
5 micron (eqv. to 3000)



3 micron



5 micron

#### Technical Specifications

<b>Grain</b>	Aluminium oxide/Silicon carbide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	PET Film
<b>Coating</b>	Defined mono-layer coating technology
<b>Color</b>	Gray
<b>Attachment</b>	Water-resistant PSA

#### FEATURES AND BENEFITS:

- Made with a new manufacturing technology which enables a precise grain distribution and thus a consistent scratch pattern
- Easy to use, with minimal loading and pilling
- Durable, flexible and long-lasting discs gives an excellent surface finish, making the polishing faster and easier

## Novastar® Film Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	320	400	500	600	800	1200
● FG-5MH-XXX	5"	Grip	●	●	●	●	●	●	●	●	●	●	●	●	●
● FG-6MH-XXX	6"	Grip	●	●	●	●	●	●	●	●	●	●	●	●	●

## Novastar® SR Film Abrasive

Part Number:	Size:	Description:	180	220	240	320	400	500	600	800	1200	1500	3μ	5μ
● FH-340-XXX	1¼"	PSA Water-resistant											●	●



#### DID YOU KNOW?

Novastar tackles demanding surfaces with unexpected ease. The remarkable cut in coarse grits and outstanding surface finish of finer grits gets the job done faster in fewer steps.

This tough premium film abrasive is made to last and keeps you sanding longer. The new precision coating practically repels dust, so there is no clogging.

[▶ Watch Novastar™ abrasives in action on our YouTube channel!](#)



## Gold Paper Abrasive

23 Series |     



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P80 - P150 D-weight latex paper, P180 - P800 C-weight latex paper
<b>Coating</b>	Semi-open
<b>Color</b>	Gold
<b>Attachment</b>	Grip and PSA

#### FEATURES AND BENEFITS:

- Designed for both finishing and heavy stock removal
- Aluminum oxide grain delivers a fast, and long lasting cut
- High strength resin bonding provides superior grain support
- Special stearate coating is used to maximize resistance to clogging and loading
- Semi-open coat produces an even, consistent scratch pattern

## Goldflex Soft Paper Abrasive

23-145 Series |    



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	A-latex paper with PE foam
<b>Coating</b>	Semi-open
<b>Color</b>	Gold
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Designed for hand sanding applications
- A-weight, latex impregnated paper backing with PE foam is highly flexible and ideal for profile sanding
- Produces a high quality finish
- Durable, aluminum oxide grain delivers a long lasting, smooth cut
- Bulk roll is perforated to allow easy sheet dispensing from box

## Gold Soft Paper Abrasive

23 Series |   



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	C-paper with PE-foam
<b>Coating</b>	Semi-open
<b>Color</b>	Gold
<b>Attachment</b>	Plain

#### FEATURES AND BENEFITS:

- Designed for final sanding of e-coats, primers, sealers and panel blends
- Durable, aluminum oxide grain delivers a long lasting, smooth cut
- A special stearate coating is used to resist clogging and loading
- 6" 15-hole discs can be used with or without vacuum

## Gold Paper Abrasive

### Multifit Multifit hole pattern available in 5" and 6" discs.

Part Number:	Size:	Description:	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500
 23-170-XXX	2¾" x 17½"	Plain	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-314-XXX	5"	PSA Linkroll				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-320-XXX	5"	8-Hole PSA				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-321-XXX	5"	5-Hole PSA				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-332-XXX	5"	PSA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-341-XXX	6"	PSA	•	•	•	•												•	•		
 23-342-XXX	6"	PSA Linkroll				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-352-XXX	8"	PSA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-364-XXX	2¾" x 16½"	PSA	•	•	•	•		•													
 23-379-XXX	6"	PSA Autobox				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-388-XXX	5"	PSA Autobox				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-5MF-XXX	5"	Multifit, Grip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-573-XXX	4½" x 10 yds.	PSA Autokut				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-574-XXX	2¾" x 20 yds.	PSA Autokut				•	•														
 23-584-XXX	2¾" x 40 yds.	PSA Autokut						•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-6MF-XXX	6"	Multifit, Grip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-608-XXX	3"	Grip				•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-612-XXX	5"	Grip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-622-XXX	6"	Grip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-631-XXX	8"	Grip	•			•				•											
 23-632-XXX	8"	9-Hole Grip								•											
 23-634-XXX	3"	6-Hole Grip						•				•	•					•	•		
 23-635-XXX	2¾" x 7¾"	8-Hole Grip				•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-648-XXX	9"	27-Hole Grip				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 23-663-XXX	2¾" x 16½"	Grip	•	•		•															
 23-688-XXX	3" x 5"	8-Hole Grip				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 XS-23-641-XXX	3" x 4"	Grip				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## Goldflex Soft Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500		
 23-145-XXX	4½" x 5"	Plain						•	•	•	•	•	•	•	•	•	•	•	•	•

## Gold Soft Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500		
 23-645-XXX	6"	15-Hole Grip									•		•		•					

## Gold ProFlex Paper Abrasive

23 Series |     



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P80–P180 C-paper, P220–P800 B-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Gold
<b>Attachment</b>	Plain

#### FEATURES AND BENEFITS:

- Designed for hand sanding applications
- Aluminum oxide grain provides a good cut and an excellent scratch pattern
- Flexible, latex-impregnated backing provides superior conformity in profile sanding
- Anti-slip coating on the back side provides a solid grip and feel during sanding

## Gold Film Film Abrasive

23 Series |   



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	Polyester Film
<b>Coating</b>	Semi-open
<b>Color</b>	White
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Designed for fine finishing
- Aluminum oxide grain delivers a fast and long lasting cut
- Semi-open coat produces an even, consistent scratch pattern
- Compatible with any grip-attaching backup pad
- No alignment means quick disc changes

## Gold Proflex Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200
 23-104-XXX	9" x 11"	Plain	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

## Gold Film Film Abrasive



**Multifit**

Multifit hole pattern available in 5" and 6" discs.

Part Number:	Size:	Description:	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000
 23-5MFF-XXX	5"	Multifit film, Grip										●	●	●	●	●	●
 23-6MFF-XXX	6"	Multifit film, Grip										●	●	●	●	●	●
 23-3NHF-XXX	3"	No-Hole Film, Grip										●		●		●	●
 23-5NHF-XXX	5"	No-Hole Film, Grip										●	●	●	●	●	●
 23-6NHF-XXX	6"	No-Hole Film, Grip										●	●	●	●	●	●



## Galaxy

Film Abrasive

FY Series




### Technical Specifications

<b>Grain</b>	Ceramic/Aluminium oxide
<b>Bonding</b>	Low VOC resin system
<b>Backing</b>	Polyester film
<b>Coating</b>	Semi-open
<b>Color</b>	Blueish
<b>Attachment</b>	Grip and PSA

### FEATURES AND BENEFITS:

- Self-Sharpening grains continue cutting – from edge to edge
- New, sharp grains form as you sand
- Lasting sharpness means a long life and a fast cut
- Clog resistant coating repels dust to keep grains free to cut
- Scratch pattern of finer grits polishes out easily



## Galaxy Film Abrasive



Multifit hole pattern available in 3", 5", and 6" discs.

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500	2000
● <b>FY-612-XXX</b>	5"	No-Hole, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
● <b>FY-622-XXX</b>	6"	No-Hole, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
● <b>FY-3MF-XXX</b>	3"	Multifit, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
● <b>FY-5MF-XXX</b>	5"	Multifit, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
● <b>FY-6MF-XXX</b>	6"	Multifit, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
○ <b>FY-5PF-XXX</b>	5"	No-Hole, Linkroll, PSA			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
○ <b>FY-6PF-XXX</b>	6"	No-Hole, Linkroll, PSA			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
○ <b>FY-570-XXX</b>	2¾" x 33½'	Multi-hole, Grip	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

No-hole versions: 5" Grip Disc, 5" PSA Linkroll, 6" Grip Disc, 6" PSA Linkroll

## Self-sharpening Grain Technology



### DID YOU KNOW?

The ceramic grains of Mirka® Galaxy are engineered to stay sharp. New abrasive edges are formed when the grains break down during the sanding process. Galaxy continues cutting – from edge to edge.

This lasting sharpness gives Galaxy a long life and a fast cut. The scratch pattern of finer grits is especially easy to polish out.

## Caratflex Paper Abrasive

02 Series 



### Technical Specifications

<b>Grain</b>	Silicon carbide
<b>Bonding</b>	Resin over resin, Progressive Bond®
<b>Backing</b>	P80 - P320 B-paper, P400 A-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Gray
<b>Attachment</b>	Grip, PSA and Plain

#### FEATURES AND BENEFITS:

- Designed for hand sanding of wood, sealers, paint and lacquers
- The latex impregnated paper backing is highly flexible and ideal for profile sanding
- An advanced stearate coating is used to resist loading
- Resin bonding improves grain adherence and product life
- Silicon carbide grain delivers an exceptionally sharp, smooth cut

## Improved\* Basecut Paper Abrasive

20 Series 



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P40-P80 D-paper, P100-P800 C-paper
<b>Coating</b>	Semi-open
<b>Color</b>	White
<b>Attachment</b>	Grip, PSA and Plain

#### FEATURES AND BENEFITS:

- Economical and efficient
- Dependable over a long lifespan
- Useful for a variety of applications
- High initial aggressive cut

## Caratflex Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500
 <b>02-101-XXX</b>	9" x 11"	Plain	●	●	●	●	●	●	●	●	●	●	●	●					
 <b>02-314-XXX</b>	5"	PSA Linkroll		●	●	●	●	●			●								
 <b>02-612-XXX</b>	5"	Grip					●	●			●								

## Basecut Paper Abrasive

Part Number:	Size:	Description:	40	60	80	100	120	150	180	220	240	320	360	400	500	600	800
 <b>20-101-XXX</b>	9" x 11"	Plain		●	●	●	●	●	●	●	●		●		●		
 <b>20-314-XXX</b>	5"	PSA			●	●	●	●	●	●	●	●	●	●	●		
 <b>20-332-XXX</b>	5"	PSA with Liner															●
 <b>20-341-XXX</b>	6"	PSA with Liner	●														
 <b>20-342-XXX</b>	6"	PSA			●	●	●	●	●	●	●		●		●	●	
 <b>20-352-XXX</b>	8"	PSA with Liner	●		●												
 <b>20-364-XXX</b>	2¾" x 16½"	Heavy-duty PSA Sheets	●		●												
 <b>20-573-XXX</b>	4½" x 30'	PSA			●	●	●	●	●	●	●	●					
 <b>20-580-XXX</b>	2¾" x 75'	PSA			●		●	●	●	●	●	●	●		●		
 <b>20-612-XXX</b>	5"	Grip	●		●	●	●	●	●	●	●	●	●	●	●	●	●
 <b>20-622-XXX</b>	6"	Grip	●		●	●	●	●	●	●	●	●	●	●	●	●	●

## Waterproof Paper Abrasive

21 Series |   



### Technical Specifications

<b>Grain</b>	Aluminum oxide P80–P360, Silicon carbide P400–P3000
<b>Bonding</b>	Resin over resin
<b>Backing</b>	P80–P120 C-paper, P150–2500 B-paper
<b>Coating</b>	Closed
<b>Color</b>	Black
<b>Attachment</b>	PSA and Plain

#### FEATURES AND BENEFITS:

- Waterproof paper offers full resin bonding on quality latex coated paper
- Ideal for nib sanding - to remove dirt and imperfections from paint surfaces
- Consistent and precise manufacturing process provides fine scratch pattern for improved finish

## Coarse Cut Paper Abrasive

40 Series |   



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin, Progressive Bond®
<b>Backing</b>	Specially reinforced F-paper
<b>Coating</b>	Semi-open
<b>Color</b>	Maroon
<b>Attachment</b>	Grip and PSA

#### FEATURES AND BENEFITS:

- Coarse grades are aggressive and fast cutting as well as long lasting
- Specially reinforced paper exclusive to Mirka provides superior grain support
- Semi-open coat produces a consistent scratch pattern, while resisting loading

## Waterproof Paper Abrasive

Part Number:	Size:	Description:	80	100	120	150	180	220	240	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
 <b>21-104-PXXX</b>	9" x 11"	Plain	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
 <b>21-118-PXXX</b>	5½" x 9"	Plain														●	●	●	●	●	●
 <b>21-300-XXX</b>	1¼"	PSA																		●	●
 <b>21-800-XXX</b>	1⅜"	PSA															●	●			

## Coarse Cut Paper Abrasive

Part Number:	Description:	Attachment:	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600	800
 <b>40-608-XXX</b>	3"	Grip		●		●												
 <b>40-612-XXX</b>	5"	Grip	●	●	●	●	●	●										
 <b>40-332-XXX</b>	5"	PSA	●	●	●	●	●	●										
 <b>40-614-XXX</b>	5"	5-Hole Grip		●	●	●	●	●	●									
 <b>40-622-XXX</b>	6"	Grip	●	●	●	●	●	●										
 <b>40-341-XXX</b>	6"	PSA	●	●	●	●	●	●										
 <b>40-624-XXX</b>	6"	6-Hole Grip	●	●	●	●	●	●										
 <b>40-631-XXX</b>	8"	Grip	●	●	●	●	●	●										
 <b>40-352-XXX</b>	8"	PSA	●	●	●	●	●	●	●	●								
 <b>40-632-XXX</b>	8"	9-Hole Grip		●		●			●									
 <b>40-663-XXX</b>	2¾" x 16½"	Grip	●	●		●												
 <b>40-364-XXX</b>	2¾" x 16½"	PSA	●	●	●	●	●	●										

## Jepuflex Antistatic Paper Abrasive

44 Series |



### Technical Specifications

<b>Grain</b>	Aluminium oxide/Silicon carbide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Antistatic T-paper/F-paper
<b>Coating</b>	Closed
<b>Color</b>	Maroon
<b>Attachment</b>	Grip

#### FEATURES AND BENEFITS:

- Strong, reliable, antistatic paper
- Full resin bonding and aluminum oxide grain guarantee durability
- Silicon carbide grain used in the coarsest grit
- Perfect for sanding of hard wood such as beech, birch, and oak
- Multi-purpose - works well on metal, plastic, and top coat

## Hiolit® XO / JF Paper Abrasive

XO (51) / JF (56) Series |



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Polyester cloth (51 Series) J-weight cotton cloth (56 Series)
<b>Coating</b>	Closed
<b>Color</b>	Maroon
<b>Attachment</b>	PSA

#### FEATURES AND BENEFITS:

- The rigid cotton cloth is highly tear resistant
- Removes stock quickly, while producing a high-quality surface finish
- The durable aluminum oxide grain delivers an exceptionally long lasting cut

## Jepuflex Antistatic Paper Abrasive

Part Number:	Size:	Description:	40	50	60	80	100	120	150	180	220	240	320	360	400	500
44-325-XXX	3" x 75'	Grip	•	•	•	•	•	•	•	•	•					
44-625-XXX	6" x 75'	Grip	•	•	•	•	•	•	•	•	•					

## Hiolit® XO / JF Paper Abrasive

Part Number:	Size:	Description:	40	50	60	80	100	120	150	180	220	240	320	360	400	500
51-332-XXX	5"	PSA	•	•	•											
56-332-XXX	5"	PSA			•	•	•	•	•	•	•	•	•	•	•	•

## Mirlon Total® Non-Woven Abrasive

18 Series |    



### Technical Specifications

<b>Grain</b>	Aluminum oxide (VF), Silicon carbide (XF, UF, MF)
<b>Bonding</b>	Resin
<b>Backing</b>	Non-Woven
<b>Coating</b>	Three Dimensional Total Coating
<b>Color</b>	Red (VF), Black (XF), Gray (UF), Gold (MF)

#### FEATURES AND BENEFITS:

- Open design is thinner and more flexible than traditional non-woven pads
- Three-dimensional structure made with cut fiber strands coated with resin and abrasive
- Consistent coating of aluminum oxide (VF 360) and silicon carbide (XF 800, UF 1500, MF 2500) abrasive grains provide uniform, dense scratch pattern
- Very flexible, ideal for use on contoured surfaces

## Mirlon® Non-Woven Abrasive

18 Series |    



### Technical Specifications

<b>Grain</b>	Aluminum oxide (VF), Silicon carbide (UF)
<b>Bonding</b>	Resin
<b>Backing</b>	Non-Woven
<b>Coating</b>	Three dimensional
<b>Color</b>	Maroon (VF), Gray (UF)

#### FEATURES AND BENEFITS:

- Three-dimensional structure made with cut fiber strands coated with resin and abrasive
- Consistent coating of aluminum oxide (VF) and silicon carbide (UF) abrasive grains provide more uniform scratch pattern
- Very flexible, ideal for use on contoured surfaces

## Mirlon Total® Non-Woven Abrasive

Part Number:	Size:	Coating:	Color:	360	800	1500	2500
 <b>18-118-446</b>	4½" x 9"	XF	Black		●		
 <b>18-118-447</b>	4½" x 9"	VF	Red	●			
 <b>18-118-448</b>	4½" x 9"	UF	Gray			●	
 <b>18-118-449</b>	4½" x 9"	MF	Gold				●
 <b>18-241-XXX</b>	6"	VF (360) Red, XF (800) Black		●	●		
 <b>18-573-373</b>	4½" x 11 yds.	VF	Red	●			
 <b>18-573-943</b>	4½" x 11 yds.	UF	Gray			●	

## Mirlon® Non-Woven Abrasive

Part Number:	Size:	Coating:	Color:	360	800	1500	2500
 <b>18-241-447</b>	6"	VF	Maroon	●			
 <b>18-241-448</b>	6"	UF	Gray			●	
 <b>18-111-447</b>	6" x 9"	VF	Maroon	●			
 <b>18-111-448</b>	6" x 9"	UF	Gray			●	
 <b>18-223-XXX</b>	9"	VF (360) Red, XF (800) Black		●	●		
 <b>18-573-447</b>	4½" x 11 yds.	VF	Maroon	●			
 <b>18-573-448</b>	4½" x 11 yds.	UF	Gray			●	



## Abrasive Sponges

Foam Abrasive

1351 Series



### Technical Specifications

<b>Grain</b>	Silicon carbide
<b>Bonding</b>	Synthetic adhesive
<b>Backing</b>	Colored polyurethane foam
<b>Density</b>	24 kgm <sup>-3</sup>
<b>Tear Strength</b>	125 Nm <sup>-1</sup>
<b>Tensile Strength</b>	87 kPa

1353 Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Synthetic adhesive
<b>Backing</b>	Colored polyurethane foam
<b>Density</b>	24 kgm <sup>-3</sup>
<b>Tear Strength</b>	125 Nm <sup>-1</sup>
<b>Tensile Strength</b>	87 kPa

1355 Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Synthetic adhesive
<b>Backing</b>	Colored polyurethane foam
<b>Density</b>	24 kgm <sup>-3</sup>
<b>Tear Strength</b>	125 Nm <sup>-1</sup>
<b>Tensile Strength</b>	87 kPa

-XXX = pack of 10

-XXXB = Box of 100

Part Number:	Size:	Color:	Description:	60	80	100	120	150	180	220	320	400
1351-XXX	3¾" x 4¾" x ½"	Black	Double-sided			●		●	●	●		
1351-XXXB	3¾" x 4¾" x ½"	Black	Double-sided			●		●	●	●		

Part Number:	Size:	Color:	Description:	60	80	100	120	150	180	220	320	400
1353-XXX	2¾" x 4" x 1"	Brown	Four-sided	●		●		●	●	●		
1353-XXXB	2¾" x 4" x 1"	Brown	Four-sided			●		●		●		

Part Number:	Size:	Color:	Description:	60	80	100	120	150	180	220	320	400
1355-XXX	4½" x 5½" x ¾"	White	Single-sided	●		●		●	●	●	●	●
1355-XXXB	4½" x 5½" x ¾"	White	Single-sided	●		●	●	●	●	●	●	●

## 1356 Series



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Synthetic adhesive
<b>Backing</b>	Colored polyurethane foam
<b>Density</b>	24 kgm <sup>-3</sup>
<b>Tear Strength</b>	125 Nm <sup>-1</sup>
<b>Tensile Strength</b>	87 kPa

## MGS Series



### Technical Specifications


<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Synthetic adhesive
<b>Backing</b>	Colored polyurethane foam
<b>Density</b>	85 kgm (345, & 3410), 24 kgm (34)
<b>Tear Strength</b>	370 Nm (345, & 3410), 125 Nm (34)
<b>Tensile Strength</b>	290 kPa (345, & 3410), 87 kPa (34)

-XXXB = Box of 250

Part Number:	Size:	Color:	Description:	60	80	100	150	180	220	280	320	400
<b>1356-100B</b>	4" x 5" x 1/2"	Purple	Double-sided			●						
<b>1356-150B</b>	4" x 5" x 1/2"	Blue	Double-sided				●					
<b>1356-180B</b>	4" x 5" x 1/2"	Red	Double-sided					●				
<b>1356-220B</b>	4" x 5" x 1/2"	Green	Double-sided						●			
<b>1356-280B</b>	4" x 5" x 1/2"	Clear	Double-sided							●		
<b>1356-320B</b>	4" x 5" x 1/2"	Brown	Double-sided								●	

Box of 100

Part Number:	Size:	Type:	Description:	36	40	60	80	100	150	180	220	280	320	400	600
<b>MGS345-XXXX</b>	3" x 4" x .2"	High Density	Grip	●		●	●	●	●	●	●	●	●	●	●
<b>MGS3410-XXXX</b>	3" x 4" x .4"	High Density	Grip	●		●	●	●	●	●	●	●	●	●	●
<b>MGS34-XXXX</b>	3" x 4" x .5"	Low Density	Grip	●		●	●	●	●	●	●	●	●	●	●



### DID YOU KNOW?

Sanding sponges are flexible pads with an integrated grit. They're effective on both flat and contoured surfaces, and you can use them for wet-sanding or dry-sanding.

Try the MGS Series sponges out on the new 343CV DEOS sander, and choose high density or low density according to the application.



## Golden Finish Sanding System

### Golden Finish |

The Mirka Golden Finish kit is a quick and easy solution for perfecting paint finishes.

It features number and color coded products for an efficient polishing process, suitable for both light and dark surfaces.

#### FEATURES AND BENEFITS:

- Complete Post-Paint Finishing System
- Improved consistency and less re-work
- Less time required for the repair area
- Systematic approach with numeric codes
- Two step sanding system / Two step polishing system
- Standardized post-paint / polishing process
- Ideal for both small and large repairs
- Grip attachment

Part Number:	Description:	Process Steps:
● <b>OS-241-GF1</b>	6" Grip (Film)	<b>Step 1:</b> Sanding/Leveling surfaces
● <b>OS-241-GF2</b>	6" Grip (Foam)	<b>Step 2:</b> Sanding/Conditioning scratches
<b>PC20-1L</b> <b>MPADLWY-6</b>	Polarshine® 20 6" Lambswool Pad	<b>Step 1:</b> Polishing
<b>FC5-1L</b> <b>MPADBF-6W</b>	Polarshine® VF5 6" Black Foam Pad	<b>Step 2:</b> Polishing
<b>M-9915G</b>	Microfiber Cloth	Finish/Clean surface

#### STEP 1



**OS-241-GF1**

Golden Finish Step 1  
6" Grip Film

**PC20-1L**

Polarshine® 20

**MPADLWY-6**

6" Lambswool Pad

#### STEP 2



**OS-241-GF2**

Golden Finish Step 2  
6" Grip Foam

**FC5-1L**

Polarshine® VF5

**MPADBF-6W**

6" Black Foam Pad

**M-9915G**

Microfiber Cloth

#### TECH TIP

The Golden Finish Process - your best friend when it comes to small and medium size post-paint refinishing, removing nibs, drips and orange peel from the car's surface.



## Optimized Surface Preparation System



Mirka's groundbreaking 'Optimized Surface Preparation' system maximizes performance at every stage of the vehicle repair process. Gathering the best ideas from Mirka's years of experience, we streamlined and perfected the entire process to bring you the optimal system.

Surface preparation has never been so simple, fast, and cost effective, with a premium quality result that is repeatable, time and time again!

### FEATURES AND BENEFITS:

- Complete system for auto body repair applications
- Easy for all operators to use
- Combines three industry SOPs in one process
- Improved consistency and less re-work
- Simple to standardize process across all facilities
- Less time required for the repair
- Improved shop environment
- Less technician exposure to dust
- Reduced labor cost of clean-up and maintenance
- Rolls are perforated every 2¾"



### Technical Specifications

<b>Grain</b>	Blended
<b>Bonding</b>	Resin
<b>Backing</b>	Polyamide NET
<b>Coating</b>	Closed
<b>Color</b>	Brown, Gray, Yellow
<b>Attachment</b>	Grip

	Part Number:	Description:	Process Steps:
OSP 1	● OS-203-001	3" Net Grip	Paint removal, Body filler sanding
	● OS-241-001	6" Net Grip	Paint removal, Body filler sanding
	■ OS-150-001	2¾" x 7¾" Net Grip	Paint removal, Body filler sanding
	⊖ OS-570-001	2¾" x 11 yds. Net Grip	Paint removal, Body filler sanding
OSP 2	● OS-203-002	3" Net Grip	Body filler/glaze sanding
	● OS-241-002	6" Net Grip	Body filler/glaze sanding
	■ OS-150-002	2¾" x 7¾" Net Grip	Body filler/glaze sanding
	⊖ OS-570-002	2¾" x 11 yds. Net Grip	Body filler/glaze sanding
OSP 3	● OS-203-003	3" Net Grip	Primer prep
	● OS-241-003	6" Net Grip	Primer prep
	■ OS-150-003	2¾" x 7¾" Net Grip	Primer prep
	⊖ OS-570-003	2¾" x 11 yds. Net Grip	Primer prep
OSP 4	■ OS-127-004	4½" x 5" Grip	Primer finishing
	● OS-734-004	3" 6-Hole Grip	Primer finishing
	● OS-711-004	6" 15-Hole Grip	Primer finishing
	● OS-241-004	6" Net Grip	Primer finishing

### Use with Mirka® Dry Guide Coat to Ensure the Perfect Finish!



9193500111 (Black)



9193600111 (White)

Dry Guide Coat with excellent covering properties. The powder makes all imperfections and scratches visible. This unique applicator leaves an even powder coating. The applicator has flexible edges which makes it easy to use on contoured areas.

A great tool in guiding the operator through the sanding process and achieving a perfect result.



**MIRKA**

A B R A S I V E   B E L T S

## Abranet® Max

AB Series | 



### Technical Specifications


<b>Grain</b>	Aluminum Oxide
<b>Bonding</b>	Resin over Resin
<b>Backing</b>	Net
<b>Coating</b>	Closed
<b>Color</b>	Brown
<b>Joint</b>	T (Standard)

#### FEATURES AND BENEFITS:

- Tough aluminum oxide grain gives a high cut rate on harder wood types and materials
- Extremely long lifetime compared to conventional abrasive belts
- The symmetric net structure enables an efficient cut and stock removal
- Resists clogging on resinous wood types or soft materials
- Keeps sanded surface cooler to avoid burning
- Lower pressure required when sanding due to its net structure

## Ultimax

UC Series | 



### Technical Specifications

<b>Grain</b>	Aluminum Oxide
<b>Bonding</b>	Resin over Resin
<b>Backing</b>	Antistatic T-paper/F-paper
<b>Coating</b>	Closed with Selective Coating™
<b>Color</b>	Brown
<b>Joint</b>	B-Joint

#### FEATURES AND BENEFITS:

- Selective Coating® Technology prevents clogging
- Aggressive performance with cool sanding surface
- Long life and excellent edge wear resistance
- Reduced material usage per job

## Abranet® Max

	Part Number:	Size:	Type:	Custom Order?	40	50	80	100	120	150	180	220	240	320
	<b>AB-2.5-14-XXXT</b>	2.5 x 14"	Portable	—			●	●	●	●	●			
	<b>AB-3-18-XXXT</b>	3 x 18"	Portable	—			●	●	●	●	●			
	<b>AB-3-21-XXXT</b>	3 x 21"	Portable	—			●	●	●	●	●			
	<b>AB-3-24-XXXT</b>	3 x 24"	Portable	—			●	●	●	●	●			
	<b>AB-4-24-XXXT</b>	4 x 24"	Portable	—			●	●	●	●	●			
	<b>AB-WIDTH-LENGTH-GRIT</b>	W: 2" - 11.8" L: Variable	Narrow	Yes			●	●	●	●	●			

## Ultimax

	Part Number:	Size:	Type:	Custom Order?	40	50	80	100	120	150	180	220	240	320
	<b>UC-WIDTH-LENGTH-GRIT</b>	W: 13-56" L: Variable	Wide	Yes			●	●	●	●	●	●	●	●

## Sica Closed

04 Series | 



### Technical Specifications

<b>Grain</b>	Silicon Carbide
<b>Bonding</b>	Resin over Resin / Antistatic
<b>Backing</b>	Antistatic F-Paper
<b>Coating</b>	Closed
<b>Color</b>	Black
<b>Joint</b>	TS (Standard)

#### FEATURES AND BENEFITS:

- The antistatic treatment reduces dust loading to keep machines and work piece cleaner
- Fine scratch pattern produces a good final result after surface treatment
- Designed for sanding of hardwood and MDF
- Well suited to use after Jepuflex to achieve a better finish

## Sica Fine Stearate

05 Series | 



### Technical Specifications

<b>Grain</b>	Silicon Carbide
<b>Bonding</b>	Stearate-coated resin over resin/Antistatic
<b>Backing</b>	Antistatic E-Paper
<b>Coating</b>	Semi-open
<b>Color</b>	Grey
<b>Joint</b>	A (Lap joint)

#### FEATURES AND BENEFITS:

- Full stearate coating for minimal dust load
- Can reduce topcoat use
- Variety of belt styles
- Available as Sica without stearate

## Sica

Part Number:	Size:	Type:	Custom Order?	36	40	50	60	80	100	120	150	180	220	240
 04-WIDTH-LENGTH-GRIT	W: 13-56" L: 48-120"	Wide	Yes					●	●	●	●	●	●	

\*Contact your local rep for availability and pricing.

## Sica Fine Stearate

Part Number:	Size:	Type:	Custom Order?	60	80	100	120	150	180	220	240	320	400
 05-WIDTH-LENGTH-GRIT	W: 13-56" L: 48-120"	Wide	Yes								●	●	●

\*Contact your local rep for availability and pricing.

## Jepuflex Antistatic

44 Series | 



### Technical Specifications

<b>Grain</b>	Aluminum Oxide / Silicon carbide
<b>Bonding</b>	Resin over Resin
<b>Backing</b>	Antistatic T-Paper / F-Paper
<b>Coating</b>	Closed
<b>Color</b>	Maroon
<b>Joint</b>	TS (Standard)

#### FEATURES AND BENEFITS:

- Strong, reliable, antistatic paper
- Full resin bonding and aluminum oxide grain guarantee durability
- Silicon carbide grain used in the coarsest grit
- Perfect for sanding of hard wood such as beech, birch, and oak
- Multi-purpose - works well on metal, plastic, and lacquer

## Hiolit® F

55 Series |  



### Technical Specifications

<b>Grain</b>	Aluminum Oxide
<b>Bonding</b>	Resin over Resin
<b>Backing</b>	Flexible JF-weight Cotton Cloth
<b>Coating</b>	Closed
<b>Color</b>	Maroon
<b>Joint</b>	T-Joint

#### FEATURES AND BENEFITS:

- Flexible properties and high quality sanding results make it ideal for metal and wood workshops
- Durability and excellent edge wear resistance make it ideal for sanding profiles and seams
- Ideal for aggressive sanding where flexibility is needed

## Jepuflex Antistatic

Part Number:	Size:	Type:	Custom Order?	40	60	80	100	120	150	180	220	240	320	400
 44-WIDTH-LENGTH-GRIT	W: 13-56" L: 48-120"	Wide	Yes			●	●	●	●	●	●	●	●	●

## Hiolit® F

Part Number:	Size:	Type:	Custom Order?	40	50	60	80	100	120	150	180	220	240
 55-WIDTH-LENGTH-GRIT	W: 0.5-12" L: Variable	Narrow	Yes				●	●	●	●	●	●	●
 55-WIDTH-LENGTH-GRIT	W: 7", 8", 9" L: 10.5"-26.3"	Pump Sleeve	Yes				●	●	●	●	●	●	●

\*Contact your local rep for availability and pricing.



## Hiolit® XO

57 Series |  



### Technical Specifications

<b>Grain</b>	Blue fired Aluminum Oxide
<b>Bonding</b>	Resin over Resin
<b>Backing</b>	Polyester cloth: P36-P80 X-weight cotton cloth: P100-P220
<b>Coating</b>	Semi-open
<b>Color</b>	Maroon
<b>Joint</b>	T /TS (Standard)

### FEATURES AND BENEFITS:

- Excellent edge wear resistance and durability
- Designed for sanding operations where large amounts of material need to be removed
- Suitable for aggressive sanding
- Produces high quality results on challenging materials

## Hiolit® XO


Part Number:	Size:	Type:	Custom Order?	36	40	50	60	80	100	120	150	180	220	240
 <b>57-2.5-14-XXXT</b>	2.5x14	Portable	Yes				●	●	●	●	●	●		
 <b>57-3-18-XXXT</b>	3x18	Portable	Yes		●		●	●						
 <b>57-3-21-XXXT</b>	3x21	Portable	Yes		●	●	●	●	●	●	●			
 <b>57-3-24-XXXT</b>	3x24	Portable	Yes		●	●	●	●	●	●	●			
 <b>57-4-24-XXXT</b>	4x24	Portable	Yes		●	●	●	●	●	●	●			
 <b>57-WIDTH-LENGTH-GRIT</b>	<b>W:</b> 1-12" <b>L:</b> Variable	Narrow	Yes	●	●	●	●	●	●	●	●	●	●	●
 <b>57-WIDTH-LENGTH-GRIT</b>	<b>W:</b> 13-56" <b>L:</b> Variable	Wide	Yes	●	●	●	●	●	●	●	●	●	●	●

\*Contact your local rep for availability and pricing.

### DID YOU KNOW?

Mirka's belt abrasives are the perfect companion to your belt sanding machines. They stand up to your toughest production sanding applications. The large sanding area gets the job done fast whether it's hardwood, metal, or plastic.

- Standard and Custom Lengths
- Cloth and Paper
- Anti-Static Option



## Mini Belts

-XXX



### Technical Specifications

<b>Grain</b>	Ceramic blend
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Y Polyester
<b>Coating</b>	Semi-open
<b>Color</b>	Red

#### FEATURES AND BENEFITS:

- Improved ceramic blended self-sharpening grains
- Designed for high alloy steel and super alloys
- Subtle breakdown of ceramic grain produces much sharper edges which allows for lower temperature contact area and extended life
- Optimum stock removal

## Surface Conditioning Belts

-CG and -MM



### Technical Specifications

<b>Grain</b>	Aluminum oxide
<b>Bonding</b>	Resin over resin
<b>Backing</b>	Scrim, spun nylon fiber
<b>Coating</b>	Closed
<b>Color</b>	CG: Gold, MM: Maroon

#### FEATURES AND BENEFITS:

- Robust aluminum oxide grains
- Strong, durable nylon backing
- Optimum stock removal

	Part Number:	Size:	Description:	36	50	60	80	100	COARSE	MEDIUM
	<b>66-1218-XXX</b>	.5" x 18"	Mini Belt, 10/Box	●	●	●	●			
	<b>66-3813-XXX</b>	.375" x 13"	Mini Belt, 10/Box	●	●	●	●			
	<b>66-1218-CG</b>	.5" x 18"	Coarse Surface Finishing Belt, 10/Box						●	
	<b>66-1218-MM</b>	.5" x 18"	Medium Surface Finishing Belt, 10/Box							●
	<b>66-3813-CG</b>	.375" x 13"	Coarse Surface Finishing Belt, 10/Box						●	
	<b>66-3813-MM</b>	.375" x 13"	Medium Surface Finishing Belt, 10/Box							●



#### || DID YOU KNOW?

You can pair Mirka's Mini Belts with the NEW PBS13457 or PBS10330 Pneumatic Belt Sanders with a rubber coated roller at the end of the tool that will enhance the life of Mirka's Mini Belts.

Also controlling the speed plays a big factor when using Mirka's mini belt. Running the tool at a lower speed will get the job done faster and increase the life of the belt.

## GRINDING DISCS

### Cutoff Wheels



Part Number:	Size:
MS-0110	1/32" Royal
MS-0150	1/16" Royal
MS-0316	3/16" Premium
MS-1226	1/32" Bulldog
MS-1238	1/16" Bulldog

#### FEATURES AND BENEFITS:

- Fast cutting wheels for use when cutting autobody sheet metal, ferrous and non-ferrous metals, fiberglass, plastics and composite materials
- 3 in. diameter with 3/8" center hole
- Rated to 24,000 rpm

### Trim-Kut®



Part Number:	Size:	24	36	60	80
63-300-XXX	3"	●	●	●	
63-500-XXX	5"	●	●		

#### FEATURES AND BENEFITS:

- Plastic backing resists breaking and cracking
- Can be trimmed to the 1" core
- Color coded for easy grit identification
- Can be used in grinders and high speed drills with quick change mandrels and adapters
- Suitable for use on metal, wood, fiberglass and composite materials

### Resin Fiber Discs



Part Number:	Size:	24	36	50	60
63-578-XXX	5"	●	●	●	
63-778-XXX	7"	●	●	●	

#### FEATURES AND BENEFITS:

- Ceramic Resin Fiber Discs contain 100% SG ceramic grain with a top coat that resists loading and aids in cooling
- Great for metal grinding applications that provides maximum productivity at reduced cost
- Long-life and maximum performance on stainless steel and other alloys

### Alumina Zirconia Flat Flap Discs




Part Number:	Size:	24	36	40	60
64-410-XXX	4 1/2"			●	●

#### FEATURES AND BENEFITS:

- Weld grinding/edge grinding/blending
- Maximum productivity at a reduced cost on all metals
- Premium zirconia cloth in standard density

## GRINDING DISCS

### Mini Strip Away Discs




Part Number:	Size:	
66-200-CS	2"	Orange, 10/Box
66-300-CS	3"	Orange, 10/Box
66-400-CS	4"	Orange, 5/Box

#### FEATURES AND BENEFITS:

- Open design for fast and cool cutting action
- Cleans welds and removes paint, rust, and coatings without profiling or gouging the metal beneath

### MRFD Mini Ceramic Ultra X, Type R



Part Number:	Size:	24	36	50	60	80	100	120
66-201-XXX	2"	●	●	●	●	●	●	●
66-301-XXX	3"	●	●	●	●	●	●	●

#### FEATURES AND BENEFITS:

- Manufactured with a high quality grain and finer crystalline structure which helps produce an improved self-sharpening effect
- Improved ceramic grain performance with higher stock removal rates for metal applications
- Lower grinding temperature rates produce less friction and heat
- Excellent cost/performance ratios

### Surface Prep Discs



Part Number:	Size:	Grit:
67-200-MM	2"	Medium
67-300-CG	3"	Coarse
67-200-CG	2"	Coarse
67-300-MM	3"	Medium

#### FEATURES AND BENEFITS:

- Stripping Discs are made from tough, synthetic fibers impregnated with abrasive grit that offer fast cutting action, without damaging metal surfaces
- Ideal for deburring metal, and removing rust, paint or scale while providing a safer alternative to wire bristle tools
- The open design quickly cleans surfaces without damage and provides fast cutting action with virtually no heat build-up

### Holder, Type R Grinding Discs

Part Number:	Size:	
65-002	2"	Holder, Type "R" Grinding Disc, 1/Pkg
65-003	3"	Holder, Type "R" Grinding Disc, 1/Pkg



**MIRKA**

P O L I S H



## POLARSHINE® POLISHING AND FINISHING COMPOUNDS

### Polarshine® 3



Part Number:	Size:
--------------	-------

FC3-1L	1 Liter
--------	---------

#### FEATURES AND BENEFITS:

- An ultra-fine polishing compound for protecting the high gloss finish on both original paint work and repainted surfaces
- Polishes and seals surfaces
- Contains carnauba wax
- Leaves a high gloss shine

### Polarshine® 5



Part Number:	Size:
--------------	-------

FC5-1L	1 Liter
--------	---------

#### FEATURES AND BENEFITS:

- High gloss finish without swirl and fine sanding marks
- A medium-fine polish for cleaning and refreshing surfaces
- Suitable for hologram removal
- Silicone-free
- Part of Golden Finish System

### Polarshine® 8



Part Number:	Size:
--------------	-------

PC8-1L	1 Liter
--------	---------

#### FEATURES AND BENEFITS:

- Designed for single-step polishing in AOEM/Tier1 applications
- Permanently removes deep swirl marks while producing a high gloss finish
- Keeps surface temperature low when polishing
- Suitable for use on all paint systems
- Silicone-free

### Polarshine® 10



Part Number:	Size:
--------------	-------

PC10-025L	250 ml
-----------	--------

PC10-1L	1 Liter
---------	---------

PC10-5L	5 Liters
---------	----------

#### FEATURES AND BENEFITS:

- The ultimate single-compound polishing system
- Medium-Coarse polishing compound buffs and polishes simply by changing pads
- Removes sanding scratches without fillers
- Suitable for all paint systems including scratch-resistant clear coats
- Water-based and silicone-free

### Polarshine® 12



Part Number:	Size:
--------------	-------

PC12-1L	1 Liter
---------	---------

PC12-5L	5 Liters
---------	----------

#### FEATURES AND BENEFITS:

- One-Step polishing compound
- Water-Based and silicone-free
- Removes scratches from P2000 or finer
- Perfect balance of haze and hologram versus speed of cut

### Polarshine® 15



Part Number:	Size:
--------------	-------

PC15-1L	1 Liter
---------	---------

#### FEATURES AND BENEFITS:

- A medium coarse polishing compound for removal of P1200 and finer sanding scratches
- For oxidized surfaces and water mark removal on refinish coatings
- Also suitable for removal and leveling of fine orange peel
- Silicone-free

### Polarshine® 20



Part Number:	Size:
--------------	-------

PC20-1L	1 Liter
---------	---------

#### FEATURES AND BENEFITS:

- Medium-Coarse polishing compound for scratch removal
- Optimized for fresh and soft clear coats
- Water-soluble
- Excellent cut and leaves a very high gloss surface
- Part of Golden Finish system

### Polarshine® 35



Part Number:	Size:
--------------	-------

PC35-025L	250 ml
-----------	--------

PC35-1L	1 Liter
---------	---------

PC35-5L	5 Liters
---------	----------

PC35-17L	17 Liters
----------	-----------

#### FEATURES AND BENEFITS:

- An aggressive polishing compound for removal of P800 and finer sanding scratches, or for heavily oxidized surfaces.
- Can also be used for removal of fine orange peel
- Ideal for gelcoats, refinish coatings and composites
- Silicone-free

### Polarshine® 45



Part Number:	Size:
--------------	-------

PC45-025L	250 ml
-----------	--------

PC45-1L	1 Liter
---------	---------

PC45-2.8L	2.8 Liters
-----------	------------

PC45-17L	17 Liters
----------	-----------

#### FEATURES AND BENEFITS:

- Coarse polishing compound for production or restoration processes
- Suitable for hard surfaces and coatings; ideal for gel coat and high gloss lacquers
- Quickly and permanently removes scratches from P600
- Removes heavy oxidation and restores color and shine
- Leaves a deep gloss finish - one step polishing for light colors!

## POLARSHINE® POLISHING AND FINISHING COMPOUNDS

### Polarshine® E3


Part Number:	Size:
PE3-1L	1 Liter



#### FEATURES AND BENEFITS:

- Designed for polishing out scratches on glass surfaces
- Used on standard window glass and hardened glass
- Removes marks permanently
- Silicone-Free

### Polishing Pads



#### How do I choose the right nap on twisted wool pads?

As a general rule, the shorter the nap the more aggressive the pad will cut.

#### When do I choose foam over wool when polishing?

Twisted wool is used for aggressive polishing, while foam pads are not as aggressive.

Please refer to the chart above.

#### What speed should I run the polisher?

Running the polisher at 1500 RPM will prevent "burning" the finish.

## POLISHING PADS



#### BLACK FOAM PAD

- For fine polishing and finessing of paint surfaces
- Produces a high gloss finish
- Suitable for use with most polishing systems
- Easy, grip fastening
- Washable

Part Number:	Description:
--------------	--------------

5723-BP	3 $\frac{5}{8}$ " dia. x 1/2"
MPADBF-3.25	3 $\frac{1}{4}$ " dia. x 7/8"
MPADBF-6F	6" x 1", Flat
MPADBF-6W	6" x 1", Waffle
MPADBF-8	8" dia. x 1 $\frac{1}{4}$ "



#### LAMBS WOOL POLISHING PAD

- For medium coarse polishing
- Suitable for dry use
- Easy, grip fastening
- The best choice for a perfect finish
- Washable

Part Number:	Description:
--------------	--------------

MPADLW-3	3" x 3/4"
MPADLW-6	6" x 3/4"
MPADLW-7	7" x 3/4"
MPADLW-7.5	7 $\frac{1}{2}$ " x 3/4"



#### FELT PAD

- Designed for glass polishing applications
- Felt pad construction has good balance and stability during polishing
- Designed to be used in combination with Polarshine E3

Part Number:	Description:
--------------	--------------

MPADFP-3	3" x 1/4", Felt Polishing Pad
MPADFP-5	5" x 1/4", Felt Polishing Pad



#### WHITE FOAM PAD

- Medium density pad, for less aggressive polishing
- Especially designed for medium coarse polishing
- Easy, grip attachment
- Suitable for most paintwork
- Washable

Part Number:	Description:
--------------	--------------

MPADWF-8	8" x 1 $\frac{1}{4}$ "
----------	------------------------


## POLISHING PADS



### ORANGE FOAM PAD

- For aggressive cutting and polishing
- High density, fine textured
- Suitable for most polishing systems
- Easy, grip fastening
- Washable

Part Number:	Description:
5723-OP	3 $\frac{3}{8}$ " dia. x 1 $\frac{1}{2}$ " Flat
MPADOF-3.25	3 $\frac{1}{4}$ " dia. x $\frac{7}{8}$ " CCS
MPADOF-6W	6" dia. x 1" Waffle
MPADOF-8	8" dia. x 1 $\frac{1}{4}$ " Dimple



### YELLOW FOAM PAD

- For aggressive cutting and polishing
- Waffle face keeps surface cool during polishing
- High density, fine textured
- Suitable for most polishing systems
- Easy grip fastening
- Washable

Part Number:	Description:
MPADYF-3.25W	3 $\frac{1}{4}$ " x 1", Waffle
MPADYF-6W	6" x 1", Waffle
MPADYF-6	6" x 1", Flat
MPADYF-8W	8" x 1 $\frac{1}{4}$ ", Waffle



### FOAM POLISHING PAD

- Suitable for hard and medium hard coatings
- Fast cut with good gloss
- Provides stable polishing process
- Washable

Part Number:	Description:
MPADMF-3.25WB	3 $\frac{1}{4}$ " dia. x 1"



### YELLOW TWISTED ACRYLIC WOOL PAD

- For medium duty polishing
- Soft edges for easy polishing
- Easy grip fastening
- Washable
- The best choice for a perfect finish

Part Number:	Description:
MPADTWY-7.5	7 $\frac{1}{2}$ " x 1"
MPADTWY-7.5-1.5	7 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "



### YELLOW LAMBS WOOL POLISHING PAD

- Made of premium wool fibers
- For demanding use
- Use in combination with Polarshine® 35, 15, 10 and 8
- Suitable for polishing all kinds of paintworks

Part Number:	Description:
MPADLWY-6	6" dia. x 1"




### TWISTED WOOL PAD

- For fast cutting, coarse polishing
- Easy, grip fastening
- Soft edges for easy polishing
- Washable

Part Number:	Description:
MPADTW-3	3" dia.
MPADTW-6	6" dia. x 1"
MPADTW-7.5	7 $\frac{1}{2}$ " dia. x 1"
MPADTW-7.5-1.5	7 $\frac{1}{2}$ " dia. 1 $\frac{1}{2}$ "
MPADDS-8	8" dia. x 1", Double-Sided

## QUICK DISCONNECT



Part Number:	Description:
MPAD-QD	Quick Disconnect Pad Adapter
MPADBF-8QD	8" Quick Disconnect Waffle - Black
MPADWF-8QD	8" Quick Disconnect Waffle - White
MPADOF-8QD	8" Quick Disconnect Waffle - Orange
MPADTW-8QD	8" x 1" Quick Disconnect - Twisted wool



**MIRKA**

P O W E R T O O L S





DEOS and DEROS feature a high-efficiency brushless motor, with plenty of power to get the job done quickly. Their closed construction prevents dust from entering the motor to make it low maintenance and ultra-reliable. Plus, they are vacuum-ready and their power cords are removable and interchangeable.

## DEROS Direct Electric Random Orbital Sander



MID3502011US



MID55020CAUS



MID62520CAUS



MID65020CAUS

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	Watts	Noise	Vib m/s <sup>2</sup>
MID3502011US	350XCV	3"	5 mm	4,000 - 10,000	Multi-Hole Grip	1.8 lbs	250	67 dB	2.6
MID55020CAUS	550CV	5"	5 mm	4,000 - 10,000	Multi-Hole Grip	2.2 lbs	350	71 dB	3.2
MID62520CAUS	625CV	6"	2.5 mm	4,000 - 10,000	Multi-Hole Grip	2.3 lbs	350	71 dB	2.4
MID65020CAUS	650CV	6"	5 mm	4,000 - 10,000	Multi-Hole Grip	2.3 lbs	350	71 dB	3.4

## DEOS Direct Electric Orbital Sander



MID3430201US



MID3530201US



MID3830201US



MID6630201US

Part Number	Model Number	Size	Orbit	OPM	Pad Face	Weight	Watts	Noise	Vib m/s <sup>2</sup>
MID3430201US	343XCV	3" x 4"	3 mm	5,000 - 10,000	Multi-Hole Grip	2.15 lbs	250	70 dB	3.3
MID3530201US	353XCV	3" x 5"	3 mm	5,000 - 10,000	Multi-Hole Grip	2.1 lbs	250	69 dB	2.6
MID3830201US	383XCV	2¾" x 7¾"	3 mm	5,000 - 10,000	Multi-Hole Grip	2.2 lbs	250	71 dB	2.6
MID6630201US	663XCV	4" x 6" x 6"	3 mm	5,000 - 10,000	Multi-Hole Grip	2.1 lbs	250	68 dB	2.6

### All Mirka® Electric Power Tools Features:

- 1" I.D. hose threaded vacuum fitting
- Brushless DC motor technology
- Comparable power of pneumatic tools - but lighter
- Quick connect fitting for the dust extraction hose
- Digitally controlled with variable speeds
- Pair with 'NET' abrasives for a dust-free experience
- Bluetooth connectivity pairs with myMirka App
- On/Off Switch on all models

### REWIRABLE CONNECTORS

Over time, power tool cables can undergo wear and tear. With rewirable connectors on our electric tools, the cable connectors can be changed by the user without the need for special training. The rewirable connector also enables repair of hoses with integrated cables.

Available on DEROS, DEOS, and LEROS models.



**MIE9017211**  
Mirka DEROS / DEOS  
110V Rewirable Power Cord

## LEROS

Long Electric Random Orbital Sander



Mirka LEROS the lightest, most advanced wall and ceiling sander, enables perfect surface finishing results and a safe, clean working environment when paired with Mirka's NET abrasives and dust-extractors. Its dust-free efficiency dramatically reduces prep and cleanup time.

The award-winning LEROS puts less strain on operators' arms and shoulders and the large sanding head with 180° swivel helps to get the job done quickly. The long arm can sand ceilings without the need to climb ladders.



## LEROS-S

Long Electric Random Orbital Sander Short

The new Mirka® LEROS-S 950CV is a compact length, brushless sander with a highly flexible sanding head, designed for effortless sanding of large wood and composite surfaces in manufacturing.

The LEROS-S is light, balanced and easy to handle, and its large sanding pad with a 5 mm random orbit makes it possible to work faster with a more even result, for a high-quality surface finish. With two dedicated grip points, you have secure control of the sanding process – and when you need more reach, the LEROS-S can also be fitted with the extension (MIW-EXT).



### FEATURES AND BENEFITS:

- Lightweight, only 7.7lbs
- 180° flexible sanding head
- 5mm random orbital movement
- Full force system
- Brushless motor
- Dust-free

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	Watts	Noise	Vib m/s <sup>2</sup>
MIW95020BAUS	950XCV	9"	5 mm	4,000 - 8,000	Multi-Hole Grip	7.7 lbs	250	73 dB	1.1
MIW95021BAUS	950CV	9"	5mm	4,000 - 8,000	Multi-Hole Grip	7 lbs	250	73 dB	< 2.5

### ACCESSORY ITEMS:



#### MIW-EXT

Mirka® LEROS Extension Shaft



#### MIW-BAG

Mirka® LEROS Carrying Bag (included with tool)



#### MIE6515911

Sleeve for Hose and Cable 11½'



#### MIE6515711US

Mirka Sleeve + Cable 110V + Hose 19.7' US, 1/Pkg.



#### MIE6515611US

Mirka Sleeve + Cable 110V + Hose 32.8' US, 1/Pkg.

## PROS Pneumatic Random Orbital Sander

Mirka PROS pneumatic random orbital sanders are constructed from high quality materials that deliver long term durability, ensuring you will enjoy outstanding performance from your sander long into the future. Optimized ergonomics make it comfortable for long operating periods and allow for two handed use. Choose from Central Vacuum (CV), Self-Generating Vacuum (SGV), and Non-Vacuum (NV) models.



**CV: Central Vacuum**

**SGV: Self-Generating Vacuum**

**NV: Non-Vacuum**

### CV: Central Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MRP-550CV	550CV	5"	5 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	74 dB	2.4
MRP-580CV	580CV	5"	8 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	74 dB	3.8
MRP-625CV	625CV	6"	2.5 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	73 dB	2.3
MRP-650CV	650CV	6"	5 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	75 dB	3.2
MRP-680CV	680CV	6"	8 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	76 dB	3.4

### SGV: Self-Generating Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MRP-550SGV	550DB	5"	5 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	81 dB	2.8
MRP-650SGV	650DB	6"	5 mm	12,000	Multi-Hole Grip	2 lbs	0.28	17	78 dB	3.0

### NV: Non-Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MRP-525NV	525NV	5"	2.5 mm	12,000	PSA	2 lbs	0.28	17	74 dB	2.4
MRP-550NV	550NV	5"	5 mm	12,000	PSA	2 lbs	0.28	17	74 dB	2.4
MRP-580NV	580NV	5"	8 mm	12,000	PSA	2 lbs	0.28	17	74 dB	3.8
MRP-650NV	650NV	6"	5 mm	12,000	PSA	2 lbs	0.28	17	74 dB	3.2
MRP-680NV	680NV	6"	8 mm	12,000	PSA	2 lbs	0.28	17	75 dB	3.4



### || DID YOU KNOW?

PROS tools make sanding and polishing...

**Easy:** The PROS includes an air inlet extension to make connecting to air source easy.

**Comfortable:** PROS tools have an ergonomic design that allows one or two hand operation.

**Safe:** PROS have a locking feature to prevent accidental tool running while changing pads.



## Pneumatic Belt Sanders

### FEATURES AND BENEFITS:

- Safety cover - throws debris away from operator
- Accessible tension mechanism - easy-to-change belts
- Speed regulator on top of tool - effortless adjustment
- Hex key stores in the handle - at hand for quick angle adjustment
- Easily reset angle - get into hard-to-reach places quickly
- Rubber-coated handle doesn't get cold - comfortable to hold
- Low noise level - preferred belt sander for daily use
- Competitive pricing - affordable addition to tech's toolkit



**PBS-10330**



**PBS-13457**

Part Number	Model Number	Belt Size	Weight	Speed	Noise	Watts	Air Consumption	Vib m/s <sup>2</sup>
<b>PBS-10330</b>	<b>10NV</b>	.4" x 13"	1.79 lbs	17,000/min	85.7 dB	417.6	610 l/min	1.88 m/s <sup>2</sup>
<b>PBS-13457</b>	<b>13NV</b>	.5" x 18"	2 lbs	20,000/min	85 dB	522	800 l/min	1.04 m/s <sup>2</sup>

### || DID YOU KNOW?

The Mirka PBS-10330 and the Mirka PBS-13457 are user-friendly and ergonomic tools that are powerful yet quiet to use. Comfortable to hold with a cushioned rubber grip, the grinding speed is easy to set with a top-mounted selector.

Tension mechanisms make the belts easy to change in just a matter of seconds, and the arm angle of the tools are quickly adjusted with a key that is stored right in the handle.



## MR-Series Pneumatic Tools

### MR-SERIES ROUND PNEUMATIC SANDERS

Mirka's MR-Series Pneumatic Sanders are constructed of precision molded composites for strength and durability. This construction also reduces weight and sound for increased operator comfort. Moisture-resistant composite rotors and premium counterweight bearings ensure superior reliability.

The sanders' orbital motion leaves the surface easy to polish. Select from a wide range of sizes to accommodate square or round abrasives and dust-removal systems (CS, SGV, and NV).



**CV: Central Vacuum**



**NV: Non-Vacuum**



**SGV: Self-Generating Vacuum**

#### CV: Central Vacuum

Part Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
<b>MR-350CV</b>	3"	5 mm	12,000	6-Hole Grip	1.17lbs	0.28	17	80 dB	-

#### NV: Non-Vacuum

Part Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
<b>MR-3</b>	3"	2.5 mm	12,000	Grip	1.12 lbs	0.28	17	76 dB	3.04
<b>MR-350</b>	3"	5 mm	12,000	PSA	1.12 lbs	0.28	17	80 dB	2
<b>MR-5</b>	5"	5 mm	12,000	PSA	1.7 lbs	0.28	17	80 dB	2.6
<b>MR-508</b>	5"	8 mm	12,000	PSA	1.7 lbs	0.28	17	74 dB	3.5
<b>MR-525</b>	5"	2.5 mm	12,000	PSA	1.7 lbs	0.28	17	80 dB	2.1
<b>MR-6</b>	6"	5 mm	12,000	PSA	1.74 lbs	0.28	17	79 dB	3.7
<b>MR-608</b>	6"	8 mm	12,000	PSA	2 lbs	0.28	17	75 dB	3.5
<b>MR-625</b>	6"	2.5 mm	12,000	PSA	1.87 lbs	0.28	17	83 dB	3.3

#### SGV: Self-Generating Vacuum

Part Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
<b>MR-3SGV</b>	3"	2.5 mm	12,000	6-Hole Grip	1.3 lbs	0.28	17	84dB	2.6
<b>MR-5SGV</b>	5"	5 mm	12,000	Multi-Hole Grip	1.85 lbs	0.28	17	85 dB	2.5
<b>MR-508SGV</b>	5"	8 mm	12,000	Multi-Hole Grip	1.85 lbs	0.28	17	91 dB	3.3
<b>MR-6SGV</b>	6"	5 mm	12,000	Multi-Hole Grip	1.94 lbs	0.28	17	83 dB	2
<b>MR-608SGV</b>	6"	8 mm	12,000	Multi-Hole Grip	2.2 lbs	0.28	17	82 dB	3.3

## MR-Series Pneumatic Tools

### MR-SERIES SQUARE PNEUMATIC SANDERS



**CV: Central Vacuum**



**NV: Non-Vacuum**



**SGV: Self-Generating Vacuum**

#### CV: Central Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-38CV-1	OS 383CV	2¾" x 7¾"	3 mm	10,000	Multi-Hole Grip	2.1lbs	0.24	16	75 dB	3.3

#### NV: Non-Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-34	—	3" x 4"	3 mm	10,000	Grip	1.5 lbs	0.24	16	76 dB	2.6

#### SGV: Self-Generating Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-34DB	OS 343DB	3" x 4"	3 mm	10,000	Multi-Hole Grip	1.6 lbs	0.24	16	81 dB	2.02
MR-35SGV	OS 353DB	3" x 5"	3 mm	10,000	Multi-Hole Grip	1.8 lbs	0.24	16	84 dB	2.3
MR-38SGV	OS 383DB	2¾" x 7¾"	3 mm	10,000	Multi-Hole Grip	2.1 lbs	0.24	16 17	85 dB	2.8

#### || DID YOU KNOW?

The MR-38CV-1, also known as a power block, is a great tool for block sanding. It straightens and flattens like a traditional hand block but leaves behind a scratch pattern like a 5" or 6" dual action sander, which doesn't require a great amount of effort to refine straight line scratches. This sander does it all with effortless guidance.



## Two-Handed Pneumatic Tools

The second handle adds stability and control while reducing operator fatigue - it can be removed when not needed. The large orbit allows you to cover a wide area in less time with aggressive sanding and polishing.

Constructed of precision-molded, moisture-resistant composites for strength and durability. A storage hanger and backing pad are included.



**CV: Central Vacuum**



**SGV: Self-Generating Vacuum**



**NV: Non-Vacuum**



**MROP: Random Orbital Polisher**

### TWO-HANDED POLISHERS

#### NV: Non-Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-30TH	RP2 300NV	3"	0	3,000	Grip	2.1 lbs	0.28	17	85 dB	1.2
MROP-312TH	ROP2 312NV	3"	12 mm	10,000	Grip	2.6 lbs	0.37	19	80 dB	5.9
MROP-512TH	ROP2 512NV	5"	12 mm	10,000	PSA	2.7 lbs	0.46	21	81 dB	5.8

### TWO-HANDED SANDERS

#### NV: Non-Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-510TH	—	5"	10 mm	12,000	PSA	2.7 lbs	0.46	21	85 dB	3.4
MR-610TH	—	6"	10 mm	12,000	PSA	2.8 lbs	0.46	21	87 dB	3.3

#### CV: Central Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-510THCV	ROS2 510CV	5"	10 mm	12,000	Multi-Hole Grip	2.65 lbs	0.46	21	83 dB	3.5
MR-610THCV	ROS2 610CV	6"	10 mm	12,000	Multi-Hole Grip	2.9 lbs	0.46	21	81 dB	3.4
MR-850THCV	ROS2 850CV	8"	5 mm	10,000	Multi-Hole Grip	3.5 lbs	0.46	23	77 dB	4.8

#### SGV: Self-Generating Vacuum

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
MR-510THSGV	—	5"	10 mm	12,000	Multi-Hole Grip	2.7 lbs	0.46	21	85 dB	3.1
MR-610THSGV	ROS2 610DB	6"	10 mm	12,000	Multi-Hole Grip	2.9 lbs	0.46	21	81 dB	-

## MR-Series Pneumatic Tools

### 1.25" MR-SERIES NON-VACUUM PNEUMATIC SANDERS

Precision-molded composite construction gives Mirka's MR-Series of 1.25" Round Pneumatic Sanders strength, durability, and reduced weight. The sanders' orbital motion makes spot repair and minor surface finishing easy to polish out.



**MAOS130**



**MROS125**



**MROS150**

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	HP	SCFM	Noise	Vib m/s <sup>2</sup>
<b>MAOS130</b>	<b>AOS 130NV</b>	1¼"	3 mm	8,500	PSA	1.32 lbs	0.48	18	75 dB	2.22
<b>MROS125</b>	<b>ROS 125NV</b>	1¼"	2.5 mm	8,000	PSA	1.06 lbs	0.15	15	67 dB	-
<b>MROS150</b>	<b>ROS 150NV</b>	1¼"	5 mm	8,000	PSA	1.08 lbs	0.15	15	71 dB	2.33

### 3" MR-SERIES PNEUMATIC POLISERS

Pneumatic Polishers make quick work of removing scratches when paired with wool or foam polishing pads. MR-Series polishers have reduced weight and sound for increased operator comfort.



**MRAP-30**



**MR-30**

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	Watts	HP	SCFM	Noise	Vib m/s <sup>2</sup>
<b>MRAP-30</b>	<b>AP 300NV</b>	3"	0 mm	3,200	Grip	1.45 lbs	298	-	-	76 dB	1.34
<b>MR-30</b>	<b>RP 300NV</b>	3"	0 mm	3,000	Grip	1.2 lbs	-	0.28	17	81 dB	1.4



## Cordless Tools

Mirka cordless tools are light, ergonomic, and optimized for spot repair and finessing. Incredibly nimble, they are quiet, small, and low maintenance thanks to the brushless motor. Cordless tools come with two 2.5 Ah 10.8V Li-ion batteries and a charger (5Ah 10.8V batteries sold separately).

For a comprehensive cordless system, combine Mirka cordless sanders and polishers with spot repair abrasives and polishing compounds made by Mirka.

### CORDLESS SANDERS



**AOS130-B**



**AROS150-B**

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	Watts	Noise	Vib m/s <sup>2</sup>
<b>AOS130-B</b>	<b>AOS-B 130NV</b>	1¼"	3 mm	4,000 - 8,000	PSA + Grip	1.3 lbs	10.8 VDC	61 dB	2.5
<b>AROS150-B</b>	<b>AROS-B 150NV</b>	1¼"	5 mm	4,000 - 8,000	PSA + Grip	1.3 lbs	10.8 VDC	61 dB	1.9

### CORDLESS POLISHERS



**ARP300-B**



**AROP312-B**

Part Number	Model Number	Size	Orbit	RPM	Pad Face	Weight	Watts	Noise	Vib m/s <sup>2</sup>
<b>ARP300-B</b>	<b>ARP-B 300NV</b>	3"	0 mm	1,500 - 2,200	Grip	1.9 lbs	0.28	57 dB	1.8
<b>AROP312-B</b>	<b>AROP-B 312NV</b>	3"	12 mm	4,000 - 7,000	Grip	2 lbs	0.28	60 dB	4.3

#### DID YOU KNOW?

With Bluetooth and the myMirka® dashboard, you can easily monitor battery health status and available capacity. The Mirka® intelligent Li-ion battery allows a precise capacity measurement based on a coulomb counter.

It is possible to monitor individual cell voltage and, together with the coulomb counter, prolong the usage time. The firmware in the battery is upgradeable via the Bluetooth connection to the sander/polisher.

The 10.8V 2.5Ah battery has 3 cells and charging time is approximately 45 minutes. The 10.8V 5Ah battery has 6 cells and charging time is approximately 90 minutes.



**BPA10825**  
Intelligent Battery  
10.8V 2.5Ah




**BPA10850**  
Intelligent Battery  
10.8V 5.0Ah

Replacement batteries can be found on page 60.



# MIRKA

## ESSENTIALS





## MIRKA ESSENTIALS TAPES + FILMS



**9190113001**

Foam Tape  
Type: Masking Tape  
.5" x 164', 1/Roll



**9190165001**

Foam Tape Premium  
Type: Masking Tape  
.79" x 164', 1/Roll



**9190167001**

Lifting Tape Perforated  
Type: Masking Tape  
2" x 32.8', 1/Roll



**9190220001**

Black Cloth Tape  
Type: Specialty Tape  
2" x 164', 1/Roll



**9190221001**

Flexi No Edge Blending Tape  
Type: Masking Tape  
.59" x 82', 1/Roll



**9190222001**

DUO Masking Tape  
Type: Specialty Tape  
3" x 65.6', 1/Roll



**9190320001**

Grey Acrylic  
Double-Sided Tape  
Type: Fastening Tape  
.24" x 59', 1/Roll



**9190320002**

Grey Acrylic  
Double-Sided Tape  
Type: Fastening Tape  
.47" x 59', 1/Roll



**9190320003**

Grey Acrylic  
Double-Sided Tape  
Type: Fastening Tape  
.87" x 59', 1/Roll



**9190320004**

Emblem Tape  
Type: Specialty Tape  
2" x 11.8', 1/Roll



**9190320005**

Orange Fine Line Tape  
Type: Masking Tape  
.12" x 108', 1/Roll



**9190320006**

Orange Fine Line Tape  
Type: Masking Tape  
.24" x 108', 1/Roll



**9190320007**

Orange Fine Line Tape  
Type: Masking Tape  
.47" x 108', 1/Roll



**9190320008**

Grey Number Plate Tape  
Type: Fastening Tape  
.24" x 16.4', 1/Roll



**9191234801**

120°C Lime Line  
Type: Masking Tape  
1.88" x 164'



**9191233601**

120°C Lime Line  
Type: Masking Tape  
1.4" x 164'



**9191231801**

120°C Lime Line  
Type: Masking Tape  
.7" x 164'



**9191004801**

100°C White Line  
Type: Masking Tape  
1.88" x 164'



**9191003601**

100°C White Line  
Type: Masking Tape  
1.4" x 164'



**9191001801**

100°C White Line  
Type: Masking Tape  
.7" x 164'



**9190110017**

Masking Film Premium  
12' x 400' x 14μ, Blue



**9190110018**

Masking Film Premium  
16' x 350' x 14μ, Blue



**9190110019**

Masking Film Premium  
20' x 250' x 14μ, Blue

**NEW**

## MIRKA ESSENTIALS PAINT CUPS



### Paint Cup System, 180-850ml, Filter Lid 125µm

Part Number	Size	Pcs/pack
9190170180	180ml	50
9190170400	400ml	50
9190170650	650ml	50
9190170850	850ml	50

#### The set includes:

- 50 liners and lids with a 125µm filter
- 20 stoppers
- 1 outer hard cup + 1 collar



### Paint Cup System, 180-850ml, Filter Lid 190µm

Part Number	Size	Pcs/pack
9190172180	180ml	50
9190172400	400ml	50
9190172650	650ml	50
9190172850	850ml	50

#### The set includes:

- 50 liners and lids with a 190µm filter
- 20 stoppers
- 1 outer hard cup + 1 collar



### UV Paint Cup System, 400-650ml, Filter Lid 125µm

Part Number	Size	Pcs/pack
9190171400	400ml	50
9190171650	650ml	50

This paint cup system, with the black liner and lid, is UV-resistant.

#### The set includes:

- 50 liners and lids with a 125µm filter
- 20 stoppers
- 1 outer hard cup + 1 collar



### Replacement Paint Cup

Part Number	Size	Pcs/pack
9190173180	180ml	2
9190173400	400ml	2
9190173650	650ml	2
9190173850	850ml	2

Outer cup with collar.



### Dispenser for Paint Cups, 180-400ml OR 650-850ml cups

Part Number	Size	Pcs/pack
9190175012	180-400ml	1
9190175013	650-850ml	1

### Dispenser for Paint Cup Lids

Part Number	Size	Pcs/pack
9190175010	For all lids	1



## PCS SPRAY GUN ADAPTER VERSIONS



Part Number	Adapter Version	Pcs/pack
9190171101	1	50 (sold per pcs)
9190171102	2	50 (sold per pcs)
9190171103	3	50 (sold per pcs)
9190171120	3S	50 (sold per pcs)
9190171104	4	50 (sold per pcs)
9190171105	5	50 (sold per pcs)
9190171106	6	50 (sold per pcs)
9190171107	7	50 (sold per pcs)
9190171108	7M	50 (sold per pcs)
9190171109	9	50 (sold per pcs)
9190171110	10	50 (sold per pcs)
9190171111	11	50 (sold per pcs)
9190171112	12	50 (sold per pcs)
9190171113	13	50 (sold per pcs)
9190171114	14	50 (sold per pcs)
9190171115	15	50 (sold per pcs)
9190171116	16	50 (sold per pcs)
9190171117	17	50 (sold per pcs)
9190171118	18	50 (sold per pcs)
9190171119	19	50 (sold per pcs)
9190171121	E	50 (sold per pcs)

Adapter in stainless steel for connecting the paint cup system to the spray gun. All parts of the adapter are corrosion-resistant to both paint and thinner.



Version 1



Version 2



Version 3



Version 3S



Version 4



Version 5



Version 6



Version 7



Version 7M



Version 9



Version 10



Version 11



Version 12



Version 13



Version 14



Version 15



Version 16



Version 17



Version 18



Version 19



Version E



**MIRKA**

D U S T - E X T R A C T O R S



## DUST-EXTRACTORS

HEPA Certified to meet ERA RRP Guidelines\*



**DE-1230-PC**  
Dust Extractor - HEPA  
15¼" x 22¼" x 22¼"



**DE-1230-AFC**  
Dust Extractor - HEPA  
15¼" x 22¼" x 22¼"  
\*Automatic Filter Cleaning

Part Number:	Volts	Frequency	Volume Air Flow	Vacuum	Volume	Weight	Watts	Sound Pressure	Noise, Lpa
<b>DE-1230-PC</b>	110 - 120 ~	60 Hz	4500 l/min	250 mbar	8 gal (30 l)	32 lbs	1000	62 dB	59 dBA
<b>DE-1230-AFC</b>	110 - 120 ~	60 Hz	4500 l/min	250 mbar	8 gal (30 l)	32 lbs	1000	62 dB	59 dBA

## DUST-EXTRACTOR FEATURES:

### Push & Clean Filter Cleaning

Easy way to clean the filter for longer life time and better performance.

### Easily Accessible Flat Filter

Filter can easily be reached through an opening in the back.

### Hose Storage

The hose is always ready to use.

### HEPA Filter

The HEPA (High Efficiency Particulate Air) filter improves filtration.

### High Volume Container

8 gallons for applications where a lot of material is extracted.

### Large Wheels

Easy maneuverability on uneven surfaces.

### High Performance Motor & Turbine

1000 W motor and 1-stage turbine creates 250 mbar pressure and 4500 l/min airflow.

### AutoStart Function

Dust Extractor runs only when the power tool is running.



## DID YOU KNOW?

This HEPA certified dust extractor is an integral part of our dust-free sanding systems with three layers of dust protection. It is ideal for use with both Mirka's electric and pneumatic tools as well as with our ergonomic hand-sanding blocks.

Its high performance motor and turbine create 250 mbar vacuum and 4500 l/min air flow. The AutoStart function increases the life of the motor and reduces noise. The flat top gives space for storage and the large wheels improve maneuverability.

## DUST EXTRACTOR ACCESSORIES



**MIE9017211**  
Rewireable Power Cable  
14' (4.3m)  
110V DEROS/DEOS, 1/Pkg.



**DE-1200PB**  
Pneumatic box



**DE-FDB**  
Fleece dust bag



**DE-FILT**  
Filter Element



**DE-HEPA**  
HEPA filter element



**DE-TCFS**  
Tool case fastening system



**MIN6532011**  
Mirka Case T-LOC  
15.7" x 11.8" x 6.2"



**MIN6529211**  
Electric Sander Cord/Hose  
Straps, 6/Pkg.



**DE-HANDLE**  
Handle extension

## HOSES + HOSE CONNECTIONS



**MV-412HA**  
Vacuum Hose with Coaxial  
1" x 18'



**MIN6519411**  
Vacuum Hose & Adapter  
1" x 13', 1/Pkg.



**MV-HA33**  
Vacuum Hose with Coaxial  
1" x 33'



**MIN6519711**  
Hose Extension  
1.25" x 33'



**8391113011**  
Hand Sanding Block Hose  
.79" x 16.4'



**91100-A**  
Hose for Hand Block  
¾" x 13'



**MPA0412**  
ROS Vac Hose  
1.1" x 5.9'



**MIE6515911**  
Sleeve for Hose and Cable  
1 1/2'



**MIE6515711US**  
Mirka Sleeve + Cable 110V +  
Hose 19.7' US, 1/Pkg.



**MIE6515611US**  
Mirka Sleeve + Cable 110V +  
Hose 32.8' US, 1/Pkg.



**MV-412DOK**  
Vacuum Dual Operator Kit  
■ Allows use of two sanders  
with one dust extractor



**MV-DOF-A**  
Dual Y Air Supply Fitting



**MV-DOF-V**  
Dual Y Vacuum Fitting



**MV-412HA-ADAP**  
Adapter & Vacuum Hose  
1" x 19.7"



**VHA-1.25**  
Adapter for Vacuum Hose/  
Coaxial 1¼" ID



**8992515611**  
Vacuum Hose Adapter  
1¼"/2.12"




**8992515411**  
Adapter for DEROS/PROS  
Sanders 1" Soft



**8391111211**  
Connector Air Inlet for Hand  
Sanders 1¼" / ¾"



**MV-HC32**  
Vacuum Hose Coupling  
1¼" / 1¼"



**MIRKA**

A C C E S S O R I E S

## HAND SANDING TOOLS + ACCESSORIES



**AF4401**

Hand Sanding Block  
2 5/8" x 5 1/2" PSA, 1/Pkg.



**AF4402**

Hand Sanding Block  
2 5/8" x 10 1/2" PSA, 1/Pkg.



**AF4417**

Grip Faced DuraBlock  
Hand Sanding Block  
2 5/8" x 5 1/2"



**AF4418**

Grip Faced DuraBlock  
Hand Sanding Block  
2 5/8" x 11"



**AF4419**

Grip Faced DuraBlock  
Hand Sanding Block  
2 5/8" x 16"



**AF44A**

Hand Sanding Block Kit  
6-Piece PSA/Plain, 1/Pkg.




**AF44HL**

Hand Sanding Block Kit  
7-Piece Grip, 1/Pkg.



**DHP34**

3" x 4" Dual Density Pad



**FXPAD-355**

Soft Hand Pad  
3" x 5" x .3" Grip



**103BGHP**

Hand Sanding Bell 3" Grip  
1H Yellow



**103DGHP**

Hand Pad 3" Grip  
1H



**105HP**

Hand Pad 5" x 1 1/4" PSA  
w/Strap



**105HPGG8**

Hand Pad 5" x 1 1/8" Grip  
w/Strap



**8390340111**

Hand Sanding Pad  
4 1/2" x 5 1/2" Grip w/Strap



**105HPHRG**

Hand Pad 4 7/8" Grip  
Half-Round



**106HPHRG**

Hand Pad 5" x 1 1/4" PSA  
w/Strap



**121-002**

Hand Sanding Block  
2.5" x 5" x 5/8" Plain



**135G**

Hand Pad 3"x5" Grip



**135V**

Hand Pad 3"x5" PSA



**150G**

Hand Pad 5" Grip



**150V**

Hand Pad 5" PSA



**KIT00ROUND**

Roundy Dust-free kit



**9190143011**

Roundy Dust-Free Hand  
Block, 1/Pkg



**HB-39KIT**

Handy Block Kit 3" x 9" Grip  
Asst., 55H, w/Hose



**HB-39**

Handy Sanding Block 3" x 9"  
Grip, 55H



**MVHB35**

Grip Faced, Multi-Hole  
Vacuum Block  
2 3/4" x 5"



**MVHB38**

Grip Faced, Multi-Hole  
Vacuum Block  
2 3/4" x 8"



**MVHB38-K**

Multi-hole vacuum block with four grip-faced attachments  
(Convex, Concave, Slightly Concave and Flat), 2 3/4" x 8"

## HAND SANDING TOOLS + ACCESSORIES



### 9116F

Flexible Grip Faced,  
Multi-Hole Vacuum Block, for  
convex and concave shapes  
2¾" x 16½"



### 9116R

Rigid Grip Faced,  
Multi-Hole Vacuum Block,  
for straight sided shapes  
2¾" x 16½"



### 9300

Deco Sander - A flat, dust-free sanding head connects to a  
telescopic tube via flexible joint that allows it to sit flat against  
walls and ceilings.  
2¾" x 8" Grip 113H, 1/Pkg.

## BACKUP PADS



### 1125

1¼" Backup Pad  
Medium, PSA  
¼ - 20 thread



### 1125G

1¼" Backup Pad  
Medium, Grip  
¼ - 20 thread



### 1125H-R

1¼" Backup Pad  
Hard, PSA  
w/Twist-Lock Attachment



### 1125S

1¼" Backup Pad  
Soft, PSA  
¼ - 20 thread



### 1125S-R

1¼" Backup Pad  
Soft, PSA  
w/Twist-Lock Attachment



### 1125SG-R

1¼" Backup Pad  
Soft, Grip  
w/Twist-Lock Attachment



### 1132-R

1¼" Backup Pad  
Soft, PSA  
Quick Lock CPD



### 102GG

2⅞" Backup Pad  
Medium, Grip  
⅝ - 24 thread



### 913G

3" Backup Pad  
Medium, Grip  
¼ - 20 thread



### 913GV

3" Backup Pad  
Medium, Grip  
Multi-Hole ¼ - 20 thread



### 913GV-A

3½" Backup Pad  
Heavy-Duty, PSA  
⅝ - 24 thread



### 103HD

3½" Backup Pad  
Heavy-Duty, PSA  
⅝ - 24 thread



### 105

5" Backup Pad  
Medium, PSA  
⅝ - 24 thread



### 105B

5" Backup Pad  
Medium, PSA  
⅝ - thread



### 105G

5" Backup Pad  
Medium, Grip  
⅝ - 24 thread



### 105GG

5" Backup Pad  
Medium, Grip, Palm Hook  
⅝ - 24 thread



### 105GGP

5" Backup Pad  
Grip, Palm Hook  
⅝ x 24 thread



### 105GV

5" Backup Pad  
Medium, 5-Hole Grip,  
⅝ - 24 thread



### 105GVBD

5" Backup Pad  
Multi-Hole Grip for Black and  
Decker 5" electric tool



### 105H

5" Backup Pad  
Medium, PSA  
Hardened Shank  
⅝ - 24 thread



### 105HD

5" Backup Pad  
Heavy-Duty, PSA



### 105HDGP

5" Backup Pad  
Grip Heavy-Duty, Palm Hook  
⅝ - 11 thread

## BACKUP PADS



**105P**  
**5" Backup Pad**  
 Medium with Flexible Edge,  
 PSA  
 5/16" - 24 thread



**105PG**  
**5" Backup Pad**  
 Medium with Flexible Edge,  
 Grip  
 5/16" - 24 thread



**105S**  
**5" Backup Pad**  
 Soft, PSA  
 5/16" - 24 thread




**105SG**  
**5" Backup Pad**  
 Soft, Grip  
 5/16" - 24 thread



**105SGV**  
**5" Backup Pad**  
 Soft, 5-Hole Grip  
 5/16" - 24 thread



**105V**  
**5" Backup Pad**  
 Medium, 5-Hole PSA  
 5/16" - 24 thread



**915GV**  
**5" Backup Pad**  
 Multi-Hole, Grip  
 5/16" - 24 thread




**915GV28\***  
**5" Backup Pad**  
 Medium, Multi-Hole Grip  
 5/16" - 24 thread



**915GV28-130G**  
**5" Backup Pad**  
 Medium, Multi-Hole Grip  
 5/16" - 24 thread  
 Allows for use of 5" abrasives  
 on 6" sander



**915SGV**  
**5" Backup Pad**  
 Soft, Multi-Hole



**915SGV28\***  
**5" Backup Pad**  
 Soft, Multi-Hole Grip  
 5/16" - 24 thread



**106**  
**6" Backup Pad**  
 Medium, PSA  
 5/16" - 24 thread



**106B**  
**6" Backup Pad**  
 No-Hole Medium, PSA  
 5/16" - thread



**106GG**  
**6" Backup Pad**  
 Medium Grip  
 5/16" - 24 thread



**106GM**  
**6" Backup Pad**  
 Medium Grip for Mirlon Discs  
 5/16" 24 thread



**106GV**  
**6" Backup Pad**  
 Medium, 6-Hole Grip  
 5/16" - 24 thread




**106SG**  
**6" Backup Pad**  
 Soft, Grip  
 5/16" - 24 thread



**106SGV**  
**6" Backup Pad**  
 Soft, 6-Hole Grip  
 5/16" - 24 thread



**906GV**  
**6" Backup Pad**  
 Medium, 16-Hole  
 Plenum Vacuum, Grip  
 5/16" - 24 thread



**916GV**  
**6" Backup Pad**  
 Medium, Multi-Hole, Grip  
 5/16" - 24 thread



**916GV48\***  
**6" Backup Pad**  
 Medium, 48-Hole, Grip  
 5/16" - 24 thread

\* Best results when used with Mirka® DEROS and PROS tools

## BACK UP PADS



**916SGV**  
6" Backup Pad  
Soft, Multi-Hole, Grip  
5/16" - 24 thread



**916SGV48\***  
6" Backup Pad  
Soft, Multi-Hole, Grip  
5/16" - 24 thread



**MPADBU-6**  
6" Backup Pad  
Grip



**MPADBU-7**  
7.875" Backup Pad  
Grip



**108**  
8" Backup Pad  
PSA  
5/8" - 11 thread



**108GG**  
8" Backup Pad  
Grip  
5/8" - 11 thread



**108GV**  
8" Backup Pad  
Grip, 8-Hole



**908GV**  
8" Backup Pad  
Medium, Multi-Hole, PSA  
for MR-850THCV



**908M5GV**  
8" Backup Pad  
PSA  
8" Ntl. Detroit



**MIW9514312**  
9" Backup Pad  
PSA  
25H Grip  
LEROS + 8 screws



**934**  
3" x 4" Backup Pad  
PSA



**934GV**  
3" x 4" Backup Pad  
Multi-Hole, Grip



**935GV**  
3" x 5" Backup Pad  
Multi-Hole, Grip



**935GV-E (electric)**  
3" x 5" Backup Pad  
Multi-Hole, Grip  
w/pad saver



**938GV**  
2 3/4" x 7 3/4" Backup Pad  
Multi-Hole, Grip



**938GV-E (electric)**  
2 3/4" x 7 3/4" Backup Pad  
Multi-Hole, Grip



**963GV**  
4" x 6" x 6" Backup Pad  
Medium, Multi-Hole, Grip

\* Best results when used with Mirka® DEROS and PROS tools

### DID YOU KNOW?

Mirka power sanders can take a beating, thanks in large part to backup pads. Over time, backup pads wear out and lose their shape, preventing full contact with the surface being sanded and causing an inconsistent finish. Replacing the pad is a simple matter, restoring the sander's effectiveness.

You can extend the life of your backup pad by using a pad protector when not in use, as well as an interface pad between the backup pad and the abrasive. Depending on the thickness, an interface pad can also make the backing pad softer for contour or edge sanding.




## INTERFACE PADS




**1033**  
3" dia. ½" thick  
Grip



**9133**  
3" dia. ¾" thick  
Grip, 6-Hole



**9135**  
3" x 5" ¼" thick  
Multi-Hole Grip



**9934**  
3" x 4" x ¼"  
Grip, 33-Hole




**91528Y**  
4 7/8" dia. 1" thick  
Multi-Hole Grip



**1055F**  
5" dia. ¼" thick  
Grip, 5-Hole



**1055Y**  
4 7/8" dia. 1" thick  
Grip, 5-Hole



**9155**  
5" dia. ¾" thick  
Multi-Hole Grip



**9155-5**  
5" dia. ¼" thick  
Multi-Hole Grip



**91528**  
5" dia. ¾" thick  
Multi-Hole Grip




**1066**  
6" dia. ½" thick  
Grip, 6-Hole



**1066F**  
6" dia. ¼" thick  
Grip




**1066SF**  
6" dia. ¾" thick  
Grip, Soft Faced



**9116-M**  
6" dia. ½" thick  
Net Interface, MIRLON




**9166**  
6" dia. ¾" thick  
Multi-Hole Grip



**9166-5**  
6" dia. ¼" thick  
Multi-Hole Grip



**9188**  
8" dia. ¼" thick  
Grip, 89-Hole



**9199**  
9" dia. ½" thick  
Grip, 25-Hole




**91495**  
2 ¾" x 5" x ¾"  
Grip, Block, Multi-Hole



**91505**  
2 ¾" x 7 ¾" x ¾"  
Grip, Block, Multi-Hole


## PROTECTOR PADS




**9138**  
2 ¾" x 7 ¾" x ½"  
Multi-Hole Grip



**9947**  
3" dia. ½" thick  
Multi-Hole Grip



**99528**  
5" dia. ½" thick  
Multi-Hole Grip




**9955**  
5" dia. ½" thick  
Multi-Hole Grip



**9956**  
6" dia. ½" thick  
Multi-Hole Grip



**9958**  
8" dia. ½" thick  
Multi-Hole Grip




**9134**  
3" x 4" x ½"  
Multi-Hole Grip



**9935**  
3" x 5" ½" thick  
Multi-Hole Grip



**8295902011**  
4" x 6" x 6"  
Grip, 32-Hole



**9999**  
9" dia.  
Grip, 25-Hole

## MISCELLANEOUS ACCESSORIES



**9193500111**  
Black Dry Guide Coat  
100g



**9193600111**  
White Dry Guide Coat  
100g



**S-BLADE**  
Shark Blade Denibbing Tool  
2" x 1"



**SR-CDBOT**  
Finishing Damper  
1.5" x 1.5" x 3", 2 oz. (60mL)



**MINF**  
Denibbing Mini-File  
.79"x1.65", Fine/Coarse



**M-9915G**  
Microfiber Cleaning Cloth  
15¾" x 15¾", Grey  
2/pack



**MPA0465**  
MR SGV Series  
Paper Dustbag Insert  
(10/pack / 9" x 17")



**MPA0110**  
MR SGV Series  
Cloth Vacuum Bag  
(1 Pack / 9.25" x 18")



**MRP-SGV8**  
PROS SGV Series  
Fleece Dustbag  
(3 Pack / 8.5" x 12.5")



**BPA10825**  
Intelligent Battery  
10.8V 2.5Ah



**BPA10850**  
Intelligent Battery  
10.8V 5.0Ah



**MPAD-QD**  
Quick Disconnect Pad Adapter



**DE-WSS**  
Work Station Shelf  
for Dust Extractor



**CAB-2**  
Mirka Wall Cabinet  
31.375" x 25.75" x 12.5"



**DE-WS**  
Work Station  
for Dust Extractor



**MAI-CART-912**  
Mirka Smart Cart /  
Solution Trolley



**9190310111**  
Dust Extractor Trolley



**MAI-STOOL-13**  
Mirka Bulldog Counter Stool,  
2-Ring Swivel



# Grit Comparison Chart

<b>MICRON</b>	<b>US CAMI</b>	<b>FEPA 'P'</b>	<b>JAPAN JIS</b>
500	36	36	36
430	40		
425		40	
350	50		40
336		50	
300			50
270	60	60	
260			
250			60
210			70
200		80	
192	80		
177			80
162		100	
149			90
140	100		
125		120	100
116	120		
100		150	120
93	150		
82	180	180	150
68	220	220	180
60		240	240
52	240	280	280
46		320	320
42	280		
40		360	360
35	320	400	400
30		500	
28	360		500
26		600	600
22	400	800	700
18	500	1000	800
15	600	1200	1000
13		1500	1200
10		2000	1500
8		2500	2000
7		3000	2500
6			
5		5000	3000
3			4000

Environmental responsibility is a natural part of Mirka's activities and product development. We make sure to take the environment into consideration in all our activities by following the environmental management system ISO 14001 and by offering unique products like our NET sanding discs that allow for a cleaner and therefore healthier work place.



Chez Mirka, la responsabilité environnementale fait naturellement partie de nos activités et du développement de nos produits. Nous prenons soin de bien tenir compte de l'environnement dans l'ensemble de nos activités, en appliquant les principes du système de gestion environnementale ISO 14001 et en offrant des produits uniques, comme nos disques de ponçage NET qui assurent un milieu de travail plus propre, donc plus sain.

